

2022 / 23

POOL EQUIPMENT CATALOGUE



AGent Sales & Services Pty Ltd
38 May Holman Drive
Bassendean WA 6054

T: (+61 8) 6270 4500
E: admin@agentsales.com.au
www.agentsales.com.au

TABLE OF CONTENTS

| | | | |
|--|----|--|----|
| VARIABLE SPEED PUMPS | | FILTER MEDIA | |
| Emaux Super Power | 3 | Zeofresh | 18 |
| Emaux E-Power | 3 | Glass | 18 |
| Onga® Pantera Evolution | 3 | Sand | 18 |
| Reltech Ecoflo V3 Pro | 3 | Perlite | 18 |
| Reltech Ecoflo Platinum Series V3 | 3 | | |
| STANDARD PUMPS | | CHLORINATORS & SACRIFICIAL ANODE | |
| Emaux Aqua-Mini Pump | 4 | Emaux SSC Series Salt Chlorinator | 19 |
| Emaux SD Series Pump | 4 | Emaux Superior SSC Salt Chlorinator | 19 |
| Emaux SS Series Pump | 4 | Emaux Replacement Cell | 19 |
| Emaux SC Series Pump | 4 | Emaux In-Line Sacrificial Anode Shield | 19 |
| Emaux SB Series Pump | 4 | Onga® FreeFlo Salt Chlorinator | 20 |
| Emaux Super-Power SPH Series Pump | 4 | Onga® Replacement Cell | 20 |
| Emaux E-Power Pump | 5 | Reltech Evochlor Salt Chlorinator | 20 |
| Reltech Premium PR Series Pump | 5 | Compuchlor CC Series Salt Chlorinator | 20 |
| Reltech Ecoflo Platinum Series PLT Pump | 6 | Compupool Infinity Series Salt Chlorinator | 21 |
| Onga® Pantera Pump | 6 | Compupool Infinity Series Spares | 21 |
| Onga® LeisureTime Pump | 6 | Pool Pro CPP & CPPS Series | 21 |
| STA-RITE® SilentFlo Pump | 6 | Neptune Digital Salt Chlorinator | 21 |
| Davey Silensor® Standard Pump | 7 | Replacement Cells (<i>Genuine & Generic</i>) | 22 |
| Davey StarFlo® Multi-Fit Pump | 7 | Aquarius ULTIMA Pool Controller | 24 |
| Pool Pro Neptune Pump | 7 | Pentair Rainbow™ Inline Feeder | 24 |
| PUMP Baskets | 8 | | |
| PUMP Lids | 8 | POOL CLEANERS | |
| PUMP Mechanical Seals | 9 | Pentair Rebel® 2 | 25 |
| | | Pentair Mako Shark® | 25 |
| | | Onga® Hammerhead® | 25 |
| | | Onga® Pool Shark® | 25 |
| | | Pool Pro Neptune GT3 | 26 |
| | | Pool Pro Acrobat GT | 26 |
| | | ROBOTIC POOL CLEANERS | |
| | | Dolphin™ X30 Robotic Cleaner | 26 |
| | | Dolphin™ X40 Plus Robotic Cleaner | 26 |
| | | Dolphin™ Swash-X CLX Robotic Cleaner | 26 |
| | | Dolphin™ Swash-X TCX Robotic Cleaner | 27 |
| | | POOL HEATING – HEAT PUMPS | |
| | | AES Ultra Full Inverter ULT Series | 27 |
| | | AES Aqua Full Inverter Ai Series | 27 |
| | | AES Commercial Full Inverter | 28 |
| | | Eziheat Serenity Inverter Heat Pump | 28 |
| | | Eziheat Infinity Inverter Heat Pump | 28 |
| | | Eziheat Ultra Commercial Inverter Heat Pump | 28 |
| | | Pentair UntraTemp® HX Series | 28 |
| | | Pentair UltraTemp® VX Series | 29 |
| | | Waterco Electroheat Plus MKIII | 29 |
| | | POOL HEATING – GAS HEATERS | |
| | | Pentair MasterTemp 123 Spa Gas Heater | 29 |
| | | Pentair MasterTemp Gas Heater | 29 |
| | | POOL HEATING - SOLAR | |
| | | BossSolar Rhino Modular | 31 |
| | | Sunline Aquavent™ Solar Blanket | 31 |
| FILTERS | | | |
| Emaux V Series Filter | 9 | | |
| Emaux P Series Filter | 9 | | |
| Emaux SP Series Filter | 10 | | |
| Emaux Max Series MFV Filter | 10 | | |
| Emaux Max Series MFS Filter | 10 | | |
| Emaux Volumetric Filter | 10 | | |
| Emaux Commercial Filters | 12 | | |
| Davey EcoPure Fibreglass Media Filter | 11 | | |
| Davey CrystalClear® Fibreglass Media Filter | 11 | | |
| SELECTOR VALVES | | | |
| Emaux Multiport Valves | 13 | | |
| Davey Multiport Valves | 15 | | |
| Emaux Check Valve | 15 | | |
| Emaux 2-Way Valve | 15 | | |
| Emaux 3-Way Valve | 15 | | |
| CARTRIDGE FILTER | | | |
| Emaux CF Series Filter | 16 | | |
| Emaux Cartridge Filter Elements | 16 | | |
| Davey CrystalClear® Cartridge Filter | 16 | | |
| Davey CrystalClear® Cartridge Filter Element | 16 | | |
| Pentair Clean & Clear Plus Filter | 17 | | |
| Sta-Rite™ Posi-Clear RP Filter | 17 | | |
| Pentair FreeFlo Filter | 17 | | |
| Pentair Cartridge Filter Elements | 17 | | |
| Emaux Oil-Filled Pressure Gauge | 16 | | |

| | |
|--|----|
| UNDERWATER POOL LIGHTS | |
| Emaux E-Lumen X Series | 32 |
| Emaux E-Lumen Series | 32 |
| Emaux Aurora Series | 32 |
| Emaux Flat Type TP100 Series | 33 |
| Sunline Retrofit Niche LED Replacement | 33 |
| Aqua Quip Surface Mount Retrofit LED | 33 |
| Spa Electrics WNRX Retrofit Series | 33 |
| Spa Electrics GKRX Retrofit Series | 33 |
| Spa Electrics EMRX Retrofit Series | 34 |
| WATER DESCENT | |
| Emaux PB Series | 34 |
| Emaux Transformer | 34 |
| Emaux Junction Box | 34 |
| Emaux Light Control Box | 34 |
| SKIMMERS | |
| Emaux Wall Standard Wall | 35 |
| Emaux Wall Skimmer with extension | 35 |
| Emaux Skimmer Accessories | 35 |
| SKIMMER BASKETS | 36 |
| SKIMTROLS | 36 |
| VACUUM PLATES | 37 |
| HIDE® SKIMMER LID & DRAIN COVERS | 38 |
| POOL SURROUNDING EQUIPMENT | |
| Emaux Pool NSL Series Ladders | 38 |
| Emaux Pool SLF Series Ladders | 39 |
| Emaux Pool Exit ARG Series Handrails | 39 |
| Emaux Pool Exit ARB Series Handrails | 39 |
| GASKETS (<i>Genuine & Generic</i>) | 40 |

VARIABLE SPEED PUMPS



Emaux Super Power Variable Speed Pump

Ultra Energy Efficiency

Features

- Permanent Magnetic Motor (PMM), Totally Enclosed Fan Cooled (TEFC)
- Union compatible for both imperial & metric standard
- Stainless steel 316 shaft
- Super quiet operation when running at low RPM mode
- *Direct fit (but different shape) for Hayward Super Pump Series & Pentair Superflo Series pumps*



Emaux E-Power Variable Speed Pump

High Performance & Heavy Duty

Features

- Overload protection, self-priming
- Union compatible for both imperial & metric standard
- Stainless steel 316 shaft & mechanical seal
- Basket volume 5L

| Product Code | Product | Model | Connection | HP | Weight (kg) | Model Code |
|--------------|--|--------|---------------------------------------|-----|-------------|------------|
| PE0261 | Super Power Variable Speed Pump SPV Series | SPV150 | 1.5" / 50mm (ID), 2.0" / 63mm (OD) | 1.5 | N/A | 88029807 |
| PE0752 | E-Power Variable Speed Pump EPV Series | EPV150 | 2.0" / 63mm (ID), 2.5" / 75mm (OD) | 1.5 | 23 kg | 88021107 |
| PE0753 | E-Power Variable Speed Pump EPV Series | EPV200 | | 2.0 | 24 kg | 88021108 |
| PE0754 | E-Power Variable Speed Pump EPV Series | EPV300 | | 3.0 | 25 kg | 88021109 |



Onga® Pantera Evolution Pump

High Efficiency 2 Speed Pool Pump

Features

- Electronic control features high speed priming
- Low noise levels
- Drop in replacement for all LeisureTime & PPP pool pumps



Reltech Ecoflo V3 Pro Pump

Fully Variable 3 Speed Pool & Spa Pump

Features

- Overload protection
- Permanent magnet brushless fully enclosed fan cooled motor
- Large strainer basket allows for longer intervals between cleaning
- *Direct fit for (discontinued) Astral Viron P320 eVo pump*



Reltech Ecoflo Platinum Series V3 Pump

Extra Large Variable 3 Speed Pool & Spa Pump

Features

- Overload protection
- Permanent magnet brushless fully enclosed fan cooled motor
- Large strainer basket allows for longer intervals between cleaning
- *Direct fit for Astral Viron P600 eVo pump*

| Product Code | Product | Model | HP | Weight | Model Code |
|--------------|--|---------------------|------|--------|------------|
| PE0187 | Pantera Evolution 2 Speed Pump | Pantera Evo 2 Speed | 1.25 | N/A | PPP950-2SP |
| PE0982 | Reltech Ecoflo V3 Pro Pump | V3 PRO | 1.25 | N/A | V3 PRO |
| PE0983 | Reltech EcoFlo V5 Pro Pump | V5 PRO | 1.75 | N/A | V5 PRO |
| PE1203 | Reltech Ecoflo Platinum Series V3 Pump | PLT-V3 | 1.25 | N/A | PLT-V3 |
| PE1204 | Reltech Ecoflo Platinum Series V3 Pump | PLT-V5 | 1.75 | N/A | PLT-V3 |

STANDARD PUMPS



Emaux Aqua-Mini Pump

For above-ground pools

Features

- Attached with a pre-filter transparent lid
- Built-in thermal protection, external heat sink



Emaux SD Series Pump

For above-ground pools or portable spas

Features

- 1.5" suction & discharge port
- Built-in thermal protection, external heat sink
- Union compatible for both imperial & metric standard
- Stainless steel 316 shaft & mechanical seal



Emaux SS Series Pump

For small size residential pools or above-ground pools

Features

- 1.5" suction & discharge port
- Overload protection, external heat sink
- Union compatible for both imperial & metric standard
- Stainless steel 316 shaft & mechanical seal



Emaux SC Series Pump

For medium size residential pools

Features

- 1.5" suction & discharge port
- Overload protection, external heat sink
- Union compatible for both imperial & metric standard
- Stainless steel 316 shaft & mechanical seal
- Self-priming
- Basket volume 2.5 L



Emaux SB Series Pump

For residential pools & spas

Features

- 1.5" suction & discharge port
- Ring lock lid to eliminate suction leaks
- Built-in thermal protection, external heat sink
- Union compatible for both imperial & metric standard
- Stainless steel 316 shaft & mechanical seal



Emaux Super-Power SPH Series Pump

For residential pools & spas

Features

- Direct replacement of *Hayward Super Pump*® & *Pentair SuperFlo*® Pump
- Thermal & overload protection, external heat sink
- Union compatible for both imperial & metric standard
- Stainless steel 316 shaft
- Self-priming
- Basket volume 2 L
- *Direct fit (but different shape) for Hayward Super Pump Series & Pentair Superflo Series pumps*

STANDARD PUMPS - continued



Emaux E-Power Pump

For residential & semi-commercial pools

Features

- Built-in thermal & overload protection, external heat sink
- Union compatible for both imperial & metric standard
- Stainless steel 316 shaft & mechanical seal
- Self-priming
- Basket volume 5 L

| Product Code | Product | Model | Connection | HP | Weight (kg) | Model Code |
|--------------|--|----------|---------------------------------------|------|-------------|------------|
| PE0767 | Emaux Aqua-Mini 0.2 HP Pump with timer & prefilter | AMU020TP | 1.5" / 50mm | 0.20 | 4.20 | 88028401 |
| PE0768 | Emaux Aqua-Mini 0.2 HP Pump with prefilter | AMU020P | 1.5" / 50mm | 0.20 | 4.20 | 88027801 |
| PE0761 | Emaux SD Series 0.2 HP Pump | SD020 | 1.5" / 50mm | 0.20 | 6.20 | 88022101 |
| PE0762 | Emaux SD Series 0.33 HP Pump | SD033 | 1.5" / 50mm | 0.33 | 6.50 | 88022102 |
| PE0763 | Emaux SD Series 0.5 HP Pump | SD050 | 1.5" / 50mm | 0.50 | 8.00 | 88022103 |
| PE0764 | Emaux SD Series 0.75 HP Pump | SD075 | 1.5" / 50mm | 0.75 | 9.00 | 88022104 |
| PE0765 | Emaux SD Series 1.0 HP Pump | SD100 | 1.5" / 50mm | 1.00 | 9.10 | 88022105 |
| PE0766 | Emaux SD Series 1.2 HP Pump | SD120 | 1.5" / 50mm | 1.20 | 11.00 | 88022106 |
| PE0268 | Emaux SC Series 1.0 HP Pump | SC100 | 1.5" / 50mm | 1.00 | 15.00 | 88021705 |
| PE1583 | Emaux SC Series 1.0 HP Pump NEW (with 1.5" & 2" connections) | SC100B | 2" / 63mm | 1.00 | 15.00 | 9023603 |
| PE0269 | Emaux SC Series 1.5 HP Pump | SC150 | 1.5" / 50mm | 1.50 | 16.00 | 88021707 |
| PE0270 | Emaux SC Series 2.0 HP Pump | SC200 | 1.5" / 50mm | 2.00 | 17.50 | 88021708 |
| PE0271 | Emaux SS Series 1.0 HP Pump | SS100 | 1.5" / 50mm | 1.00 | 9.09 | 88022405 |
| PE0272 | Emaux SS Series 1.2 HP Pump | SS120 | 1.5" / 50mm | 1.20 | 11.00 | 88022406 |
| PE0266 | Emaux SB Series 1.0 HP Pump | SB10 | 2" / 63mm | 1.00 | 16.00 | 88021305 |
| PE0267 | Emaux SB Series 1.5 HP Pump | SB15 | 2" / 63mm | 1.50 | 17.00 | 88021307 |
| PE0262 | Emaux SPH Series 0.75 HP Pump | SPH075 | 1.5" / 50mm(ID), 2.0" / 63mm (OD) | 0.75 | 13.60 | 88029604 |
| PE0263 | Emaux SPH Series 1.0 HP Pump | SPH100 | 1.5" / 50mm(ID), 2.0" / 63mm (OD) | 1.00 | 13.80 | 88029605 |
| PE0264 | Emaux SPH Series 1.5 HP Pump | SPH150 | 1.5" / 50mm(ID), 2.0" / 63mm (OD) | 1.50 | 14.00 | 88029607 |
| PE0265 | Emaux SPH Series 2.0 HP Pump | SPH200 | 1.5" / 50mm(ID), 2.0" / 63mm (OD) | 2.00 | 14.20 | 88029608 |
| PE0755 | Emaux E-Power 2.0 HP Pump, Single Phase | EPH200 | 2.0" / 63mm (ID), 2.5" / 75mm (OD) | 1.00 | 23.00 | 88020708 |
| PE0756 | Emaux E-Power 3.0 HP Pump, Single Phase | EPH300 | 2.0" / 63mm (ID), 2.5" / 75mm (OD) | 2.00 | 24.00 | 88020709 |
| PE0757 | Emaux E-Power 4.0 HP Pump, Single Phase | EPH400 | 2.0" / 63mm (ID), 2.5" / 75mm (OD) | 3.00 | 25.00 | 88020718 |

Reltech Premium PR Series Pump

Pool & Spa Pump



Features

- High water flow & maximum pressure
- Low noise operation & energy efficient
- Self-aligning inlet & outlet barrel unions
- *Direct fit for Astral Hurlcon CX, CTX & E Series & Aquatight Pinnacle Single Speed Series pumps*

STANDARD PUMPS - continued

Reltech Ecoflo Platinum Series PLT Pump

Large Residential & Commercial Pools Pump



Features

- High water flow & maximum pressure
- Low noise operation & energy efficient
- Self-aligning inlet & outlet barrel unions
- Suits in-floor cleaning systems
- Large strainer basket allows for longer intervals between cleaning
- *Direct fit for Astral BX Series pumps*

| Product Code | Product | Model | Connection | HP | Weight | Model Code |
|--------------|--------------------------------|--------|------------|------|--------|------------|
| PE0337 | Reltech Premium PR Series Pump | PR75 | | 0.75 | N/A | PR75 |
| PE0338 | Reltech Premium PR Series Pump | PR100 | | 1.00 | N/A | PR100 |
| PE0339 | Reltech Premium PR Series Pump | PR125 | | 1.25 | N/A | PR125 |
| PE0340 | Reltech Premium PR Series Pump | PR150 | | 1.50 | N/A | PR150 |
| PE0341 | Reltech Premium PR Series Pump | PR200 | | 2.00 | N/A | PR200 |
| PE0984 | Reltech Platinum Series Pump | PLT100 | | 1.00 | N/A | PLT100 |
| PE0985 | Reltech Platinum Series Pump | PLT150 | | 1.50 | N/A | PLT150 |
| PE1202 | Reltech Platinum Series Pump | PLT200 | | 2.00 | N/A | PLT200 |

Onga® Pantera Pump

High Performance Pump



Features

- Self-aligning barrel unions
- Stainless steel shaft & mechanical seal
- Large lint pot
- Elevated motor mount

Onga® LeisureTime Pump

High Performance Pump



Features

- Totally Enclosed Fan Cooled Motor (TEFC)
- Built-in on-winding thermal overload protection
- Self-aligning barrel unions
- Stainless steel shaft & mechanical seal
- Self-priming

STA-RITE® SilentFlo Pump

Ultra Quiet – High Frequency Pump



Features

- Sound dampening pump casing & base
- Cam & Ramp™ lid for easy removal, locks in place with quarter turn
- Large volume strainer basket extends intervals between cleaning

| Product Code | Product | Model | Connection | HP | Weight (kg) | Model Code |
|--------------|------------------------|------------------|------------|------|-------------|------------|
| PE0901 | Onga® Pantera Pump | Pantera 550 | | 0.75 | 14 | PP-550-1P |
| PE0186 | Onga® Pantera Pump | Pantera 750 | | 1.00 | 14 | PP-750-1P |
| PE0953 | Onga® Pantera Pump | Pantera 1100 | | 1.25 | 15 | PP-1100-1P |
| PE1269 | Onga® Pantera Pump | Pantera 1500 | | 1.50 | 15 | PP-1500-1P |
| PE0851 | Onga® LeisureTime Pump | LeisureTime 400 | | 0.50 | 11 | LTP4000 |
| PE0225 | Onga® LeisureTime Pump | LeisureTime 550 | | 0.75 | 14 | LTP550 |
| PE0184 | Onga® LeisureTime Pump | LeisureTime 750 | | 1.00 | 14 | LTP750 |
| PE1115 | Onga® LeisureTime Pump | LeisureTime 1100 | | 1.25 | 15 | LTP1100 |

| Product Code | Product | Model | Connection | HP | Weight (kg) | Model Code |
|--------------|---------------------------------------|-----------------|------------|------|-------------|------------|
| PE1274 | Sta-Rite™ SilentFlo® Ultra Quiet Pump | Silentflo SF550 | | 0.75 | 16.5 | SF550100 |
| PE0189 | Sta-Rite™ SilentFlo® Ultra Quiet Pump | Silentflo SF750 | | 1.00 | 16.5 | SF750103 |
| PE0212 | Sta-Rite™ SilentFlo® Ultra Quiet Pump | SilentFlo 1100 | | 1.50 | 19.5 | SF1100100 |
| PE1275 | Sta-Rite™ SilentFlo® Ultra Quiet Pump | SilentFlo 1500 | | 2.00 | 19.5 | SF1500100 |

Davey Silensor® Standard Pump



Features

- Super quiet operation (54 – 56dBa) & high energy efficiency
- SLS models ideal to retrofit into existing applications
- SLL models offer a large 4.5L leaf basket for longer cleaning intervals
- Patented “ water-cooled technology”
- Guarantee : 3 years

Davey StarFlo® Multi-Fit Pump



Features

- Suits multi-fit applications
- Suitable for both in-ground & above ground pools
- 316 Stainless steel motor shaft
- Noryl impeller & Viton mechanical seal
- Ideal for solar pool heating & aquaculture applications
- Guarantee : 3 years
- *NPP Series pumps are direct fit for Pentair Onga® LeisureTime (LTP) & Pantera (PPP) Series pumps*

| Product Code | Product | Model | Connection | HP | Weight | Model Code |
|--------------|----------------------|-------|------------------|------|--------|------------|
| PE2091 | Silensor® Pool Pump | 740W | 40mm (IN/OUT) | 0.7 | N/A | SLS100 |
| PE1465 | Silensor® Pool Pump | 1090W | 40mm (IN/OUT) | 1.0 | N/A | SLS200 |
| PE2080 | Silensor® Pool Pump | 1300W | 40/50mm (IN/OUT) | 1.1 | N/A | SLL200 |
| PE2081 | Silensor® Pool Pump | 1400W | 50mm (IN/OUT) | 1.3 | N/A | SLS200 |
| PE2082 | Silensor® Pool Pump | 1760W | 50mm (IN/OUT) | 1.6 | N/A | SLS200 |
| PE2074 | StarFlo® Pool Pump | 1100W | 40/50mm (IN/OUT) | 1.0 | N/A | DSF300 |
| PE2075 | StarFlo® Pool Pump | 1650W | 40/50mm (IN/OUT) | 1.75 | N/A | DSF420 |
| PE2076 | StarFlo SF Pool Pump | 750W | 40/50mm (IN/OUT) | 0.75 | N/A | DSF750 |
| PE2077 | StarFlo SF Pool Pump | 900W | 40/50mm (IN/OUT) | 0.85 | N/A | DSF900 |
| PE2078 | StarFlo SF Pool Pump | 1100W | 40/50mm (IN/OUT) | 1.0 | N/A | DSF1100 |
| PE2079 | StarFlo SF Pool Pump | 1350W | 40/50mm (IN/OUT) | 1.35 | N/A | DSF1350 |

Pool Pro Neptune Variable & Standard Pump



Features

- Low noise operation & energy efficient
- 50mm inlet, quick release pump lid
- *NPP Series pumps are direct fit for Pentair Onga® LeisureTime (LTP) & Pantera (PPP) Series pumps*

| Product Code | Product | Model | Connection | HP | Weight | Model Code |
|--------------|-----------------------------------|---------|----------------------------|------|--------|------------|
| PE1381 | Neptune Variable Pool Pump | NPVS150 | 40 – 50 mm pipe | 1.50 | N/A | NPVS150 |
| PE0383 | Neptune Standard Pool Pump | NPP550 | 40/50 mm (IN) / 40mm (OUT) | 0.75 | N/A | NPP550 |
| PE0385 | Neptune Standard Pool Pump | NPP750 | 50 mm (IN) / 40mm (OUT) | 1.00 | N/A | NPP750 |
| PE0386 | Neptune Standard Pool Pump | NPP1100 | 50 mm (IN) / 40/50mm (OUT) | 1.25 | N/A | NPP1100 |
| PE0388 | Neptune Standard Pool Pump | NPP1500 | 50 mm (IN) / 40/50mm (OUT) | 1.50 | N/A | NPP1500 |

PUMP Baskets (Genuine & Generic)

| | | | | | |
|---|--|---|--|--|--|
|  | Product Product Code Width Height Model Code | Davey PM Series PE0364 150 mm 165 mm SBD2 |  | Product Product Code Width Height Model Code | Davey PACR Series PE0363 120 mm 190 mm SBD3 |
|  | Product Product Code Width Height Model Code | Hurlcon CX/TX PE0365 140 mm 195 mm SBX1 |  | Product Product Code Width Height Model Code | Neptune NPP/NPVS PE0366 139 mm 191 mm SBN1 |
|  | Product Product Code Width Height Model Code | Onga® LTP/PPP PE1224 125 mm 190 mm SBY1 |  | Product Product Code Width Height Model Code | Onga® SilentFlo® PE1225 150 mm 185 mm SBY2 |
|  | Product Product Code Width Height Model Code | Onga® IntelliFlo® PE1226 ONGA070387 |  | Product Product Code Width Height Model Code | Poolrite PM/SQ1 PE0367 156 mm x 138 mm 150 mm SBH1 |
|  | Product Product Code Width Height Model Code | Poolrite Enduro PE0368 125mm 210mm SBH3 |  | Product Product Code Width Height Model Code | Emaux EPV/EPH PE0528 01110024 |
|  | Product Product Code Width Height Model Code | Aqua Mini PE0888 01111104 / SBE4 |  | Product Product Code Width Height Model Code | Emaux SB PE0533 01111030 / SBE1 |
|  | Product Product Code Width Height Model Code | Emaux SC PE0535 01111076 |  | Product Product Code Width Height Model Code | Emaux SD PE0838 89021701 |
|  | Product Product Code Width Height Model Code | Emaux SS PE0535 01112051 |  | Product Product Code Width Height Model Code | Reltech Pumps PE0988 130 mm 200 mm RLT593 |

PUMP Lids (Genuine & Generic)

| | | | | | |
|---|---------------------------------------|---------------------------------------|--|---------------------------------------|--|
|  | Product Product Code Model Code | Emaux SPH / SPV PE0511 01041057 |  | Product Product Code Model Code | Emaux SC / SD PE0709 01041043 / LD004 |
|  | Product Product Code Model Code | Emaux SS PE0554 01201031 |  | Product Product Code Model Code | Hurlcon CX/TX PE0381 LD002 |
|  | Product Product Code Model Code | Onga® LTP/PPP PE1223 LD001 |  | Product Product Code Model Code | Poolrite PM / SQ1 & Hayward PE0380 LD003 |

PUMP Mechanical Seals (*Genuine & Generic*)



| Product Code | Product |
|--------------|---|
| PE0441 | Davey Pool Pump 300/PowerChief/Powerace/Powermaster |
| PE0442 | Davey Silensor Eco/SLS/SLL Series Pump |
| PE0443 | Hayward Booster & Max VS Pumps |
| PE0444 | Monarch Hurricane/Typhoon C(<i>post 2007</i>)/Typhoon T(<i>pre-2007</i>) Pump |
| PE0440 | Onga/Pentair 600/Poolrite Enduro/SQI Pump |
| PE0439 | Emaux Aqua-Mini/SD/SP/SQ/SS/ST Series & Onga® LTP & PPP Pumps |
| PE0445 | Pool Pro Neptune Pump |
| PE0446 | Reltech Premier Pump |
| PE0640 | Emaux EPH/EPV/SPH/SPV Series Pumps, 3/4" mechanical seal GENUINE |
| PE2059 | Emaux SB Series Pumps, 3/4" mechanical seal GENUINE |
| PE0637 | Emaux SD/SS/ST Series Pumps, 1/2" mechanical seal GENUINE |
| PE1260 | Emaux SE5.5 & SE7.5 Series Pumps GENUINE |
| PE1235 | Onga® LTP Solar/Leisuretime AGP Series Pump (25/Pack) GENUINE |
| PE1010 | Pentair EVMX /ECO800/SF Series Pump (25/Pack) GENUINE |

FILTERS



Emaux V Series Filter

Media Filters for Residential & Semi-Commercial Pools

Features

- Bobbin wound
- Reinforced filament fibreglass
- UV resistant composites
- Equivalent to Davey EcoPure® Media Filters

| Product Code | Product | Model | Filter Area (m ²) | Valve Connection | Bar | Sand (kg) | Model Code |
|--------------|---------------------------------|--------|-------------------------------|------------------|-----|-----------|------------|
| PE0239 | V Series, Top Mount, 21" Filter | V500 | 0.22 | 1.5" | 2.5 | 85 | 88010104 |
| PE0240 | V Series, Top Mount, 25" Filter | V650 | 0.32 | 1.5" | 2.5 | 145 | 88010105 |
| PE0241 | V Series, Top Mount, 25" Filter | V650PB | 0.32 | 2.0" | 2.5 | 145 | 88010106 |
| PE1398 | V Series, Top Mount, 28" Filter | V700B | 0.41 | 2.0" | 2.5 | 215 | 88010608 |
| PE0740 | V Series, Top Mount, 32" Filter | V800 | 0.50 | 2.0" | 2.5 | 355 | 88010609 |
| PE0741 | V Series, Top Mount, 36" Filter | V900 | 0.64 | 2.0" | 2.5 | 470 | 88010610 |
| PE0742 | V Series, Top Mount, 36" Filter | V900 | 0.64 | 2.0" | 4.0 | 470 | 88015610 |
| PE0743 | V Series, Top Mount, 36" Filter | V900C | 0.64 | 2.5" | 2.5 | 470 | 88010650 |
| PE0744 | V Series, Top Mount, 36" Filter | V900C | 0.64 | 2.5" | 4.0 | 470 | 88015650 |



Emaux P Series Filter

Media Filters for above-ground & Residential Pools

Features

- One piece blown high density polyethylene (HDPE) tank
- Top Mount Filter
- 6-way clamp style multiport
- Universal standard union connector
- Pressure gauge
- ABS Lateral system

FILTERS - continued



Emaux SP Series Filter

Media Filters for above-ground & Residential Pools

Features

- One piece blown high density polyethylene (HDPE) tank
- Side Mount Filter
- 6-way clamp style multiport
- Universal standard union connector
- Pressure gauge
- ABS Lateral system



Emaux Max Series MFV Filter

Media Filters for Residential & Semi-Commercial Pools

Features

- One piece blown high density polyethylene (HDPE) tank
- Top Mount Filter
- 6-way clamp style multiport
- Universal standard union connector
- Pressure gauge
- ABS Lateral system



Emaux Max Series MFS Filter

Media Filters for Residential & Semi-Commercial Pools

Features

- One piece blow moulded high density polyethylene (HDPE) tank
- Side Mount Filter
- 6-way clamp style multiport
- Universal standard union connector
- Pressure gauge
- ABS Lateral system



Emaux Volumetric Filter

Media Filters for Residential & Semi-Commercial Pools

Features

- 30% more volume filtration bed for improved filtration quality
- Less frequency of backwashing
- One piece blow moulded high density polyethylene (HDPE) tank
- Top Mount Filter
- 6-way clamp style multiport
- Universal standard union connector
- Pressure gauge
- ABS Lateral system

| Product Code | Product | Model | Filter Area (m ²) | Valve Connection | Bar | Sand (kg) | Model Code |
|--------------|-----------------------------------|--------|-------------------------------|------------------|-----|-----------|------------|
| PE0236 | P Series, Top Mount, 21" Filter | P500 | 0.22 | 1.5" | 2.0 | 85 | 88011604 |
| PE0237 | P Series, Top Mount, 25" Filter | P650 | 0.31 | 1.5" | 2.0 | 145 | 88011605 |
| PE1400 | P Series, Top Mount, 28" Filter | P700 | 0.39 | 1.5" | 2.0 | 210 | 88011607 |
| PE0227 | Max Series, Top Mount, 20" Filter | MFV20 | 0.20 | 1.5" | 2.8 | 70 | 88012527 |
| PE0228 | Max Series, Top Mount, 24" Filter | MFV24 | 0.28 | 1.5" | 2.8 | 125 | 88012528 |
| PE0229 | Max Series, Top Mount, 24" Filter | MFV24B | 0.28 | 2.0" | 2.8 | 125 | 88012545 |
| PE1406 | Max Series, Top Mount, 27" Filter | MFV27 | 0.36 | 2.0" | 2.8 | 185 | 88012530 |
| PE1556 | Max Series, Top Mount, 31" Filter | MFV31 | 0.47 | 2.0" | 2.8 | 320 | 88012532 |
| PE1554 | Max Series, Top Mount, 31" Filter | MFV31A | 0.47 | 1.5" | 2.8 | 320 | 88012531 |

FILTERS - continued

| Product Code | Product | Model | Filter Area (m ²) | Valve Connection | Bar | Sand (kg) | Model Code |
|--------------|--|-------|-------------------------------|------------------|-----|-----------|------------|
| PE0232 | Volumetric Filter, Top Mount, 21" Filter | T500 | 0.20 | 1.5" | 4.0 | 95 | 88016004 |
| PE0233 | Volumetric Filter, Top Mount, 24" Filter | T600 | 0.29 | 1.5" | 4.0 | 165 | 88016046 |
| PE0234 | Volumetric Filter, Top Mount, 24" Filter | T600B | 0.29 | 2.0" | 4.0 | 165 | 88016047 |
| PE1404 | Volumetric Filter, Top Mount, 28" Filter | T700 | 0.39 | 1.5" | 4.0 | 200 | 88016007 |
| PE1402 | Volumetric Filter, Top Mount, 28" Filter | T700B | 0.39 | 2.0" | 4.0 | 200 | 88016008 |
| PE0917 | SP Series, Side Mount, 21" Filter | SP500 | 0.22 | 1.5" | 2.0 | 85 | 88011704 |
| PE0918 | SP Series, Side Mount, 25" Filter | SP650 | 0.31 | 1.5" | 2.0 | 145 | 88011705 |



Davey EcoPure Fibreglass Media Filter

Media Filters for above-ground & Residential Pools

Features

- Large media capacity
- 320-370 kPa maximum working pressure
- Guarantee: 10 years (tank) / 3 years (MPV) / 1 year (Gauge, Laterals, Labour)
- Equivalent to Emaux V Series Filter

| Product Code | Product | Model | Filter Area (m ²) | Valve Connection | Max kPa | Sand (kg) | Model Code |
|--------------|----------------------------------|-------|-------------------------------|------------------|---------|-----------|------------|
| PE2094 | EcoPure® Fibreglass Media Filter | 21" | 0.22 | 40mm | 320 | 85 | DEP2140 |
| PE2095 | EcoPure® Fibreglass Media Filter | 25" | 0.32 | 40mm | 320 | 155 | DEP2540 |
| PE2096 | EcoPure® Fibreglass Media Filter | 28" | 0.41 | 50mm | 320 | 210 | DEP2850 |
| PE2097 | EcoPure® Fibreglass Media Filter | 32" | 0.53 | 50mm | 370 | 250 | DEP3250 |
| PE2098 | EcoPure® Fibreglass Media Filter | 36" | 0.66 | 50mm | 370 | 350 | DEP3650 |
| PE2099 | EcoPure® Fibreglass Media Filter | 40" | 0.81 | 50mm | 370 | 600 | DEP4050 |



Davey CrystalClear® Fibreglass Media Filter

Premium Media Filters for above-ground & Residential Pools

Features

- Unique T-laterals offer greater water efficiency during backwashing
- Large tank diameter
- 25" filter available in either 40mm or 50mm connections
- Premium MPV
- 370kPa maximum working pressure

| Product Code | Product | Model | Filter Area (m ²) | Valve Connection | Max kPa | Sand (kg) | Model Code |
|--------------|---------------------------------------|-------|-------------------------------|------------------|---------|-----------|------------|
| PE2087 | CrystalClear® Fibreglass Media Filter | 21" | 0.22 | 40mm | 370 | 85 | DCC2140 |
| PE2088 | CrystalClear® Fibreglass Media Filter | 25" | 0.32 | 40mm | 370 | 155 | DCC2540 |
| PE2089 | CrystalClear® Fibreglass Media Filter | 25" | 0.32 | 50mm | 370 | 155 | DCC2550 |
| PE2090 | CrystalClear® Fibreglass Media Filter | 28" | 0.38 | 50mm | 370 | 210 | DCC2850 |

FILTERS – COMMERCIAL AQUATIC APPLICATIONS

Emaux NL, E & K Series Commercial Filters

Media Filters for Commercial Aquatic Facilities & Water Treatment Plant




Features

- Deep media bed
- Multi-layer moulded structural inner layer & a continuous outer filament winding construction
- Available with laterals or nozzles plate system for air scouring capabilities
- Design Filtration Velocity: 50 m³/h/m²
- Max Operating Pressure: 36 psi (2.5 bar) / 58 psi (4.0 bar)
- Max Temperature: 43°C
- Optional accessories include 114mm sight glass, 400mm manhole & 20mm air purge
- Dual / triple manifold distribution increases the flow rate evenly

| Filter Series | NL Series | E Series | K Series |
|-----------------------------|-------------|-------------|-------------|
| Diameter (mm) | 1190 – 2495 | 1050 – 2200 | 1200 – 2500 |
| Height (mm) | 1410 – 2670 | 1816 – 2376 | 2080 – 2750 |
| Filter Media Bed Depth (mm) | 700 - 1390 | 1050 - 1400 | 1240 – 1650 |

Emaux H Series Commercial Filter

Media Filters for Commercial Pools, Aquatic Parks & Aquariums



Features

- Multi-layer moulded structural inner layer & a continuous outer filament winding construction
- Filtration System: Laterals
- Design Filtration Velocity: 20 / 30 / 40 m³/h/m²
- Max Operating Pressure: 36 psi (2.5 bar) / 58 psi (4.0 bar)
- Max Temperature: 43°C
- Service manhole for easy maintenance
- Manometer for easy inspection of working pressure of both inlet & outlet
- Diameter: 1200 mm – 3000 mm
- Length: 2030 mm – 5180 mm
- Height: 1500 mm – 3410 mm
- Filter Media Bed Depth: 600 mm – 1500 mm
- **Custom-built (Large Size Horizontal Commercial Filter):**
 - Max Dimensions: 3 m (diameter) x 10 m (length)
 - Max Flow Rate: 30 m³/h/m²
 - Max Operating Pressure: 58 psi (4.0 bar)
- **Custom-built (Dual Stack Commercial Filter):**
 - Diameter: 1370 mm – 1920 mm
 - Length: 2630 mm – 4650 mm
 - Height: 3291 mm – 4634 mm
 - Max Flow Rate: 30 m³/h/m²
 - Max Operating Pressure: 58 psi (4.0 bar)

SELECTOR VALVES

Emaux 1.5" 6 Way Top Mount Multiport Valve

For Top Mount Fibreglass & Plastic Filters – Emaux V & P Series Filters



Features

- Valve with 1.5" union set & pressure gauge (BLACK)
- Connection: Clamp Type
- Max Working Pressure: 4 bar
- Max Water Temperature: 50°C
- Flow Rate: 17m³/h @ 4 bar

| Product Code | Model | Model Code |
|--------------|-------|------------|
| PE0250 | MPV01 | 88280150B |

Emaux 2.0" 6 Way Top Mount Multiport Valve

For Top Mount Fibreglass Filters – Emaux V & TMG Series Filters



Features

- Valve with 2.0" union set & pressure gauge (BLACK)
- Connection: Bolt Type
- Max Working Pressure: 4 bar
- Max Water Temperature: 50°C
- Flow Rate: 27m³/h @ 4 bar

| Product Code | Model | Model Code |
|---------------------|-------|------------|
| PE0251 (valve only) | MPV02 | 88280306B |
| PE1089 | MPV02 | 88280351B |

Emaux 2.0" 6 Way Top Mount Multiport Valve (with Turn-Lock Lid)

For Top Mount Fibreglass & Plastic Filters – Emaux V650(PB) & MFV Series Filters



Features

- Valve with 2.0" union set & pressure gauge (BLACK)
- Connection: Clamp Type
- Max Working Pressure: 4 bar
- Max Water Temperature: 50°C
- Flow Rate: 27m³/h @ 4 bar
- Turn-Lock Lid allow Tool-Free Servicing

| Product Code | Model | Model Code |
|--------------|-------|------------|
| PE0252 | MPV08 | 88281551B |

Emaux 2.0" 6 Way Top Mount Multiport Valve

For Top Mount Fibreglass Filters – Emaux V Series Filters



Features

- Valve with 2.0" union set & pressure gauge (BLACK)
- Connection: Clamp Type
- Max Working Pressure: 4 bar
- Max Water Temperature: 50°C
- Flow Rate: 27m³/h @ 4 bar

| Product Code | Model | Model Code |
|--------------|-------|------------|
| PE0253 | MPV11 | 88281651B |

SELECTOR VALVES - *continued*



Emaux 2.5" 6 Way Top Mount Multiport Valve

For Top Mount Fibreglass & Plastic Filters – Emaux V Series Filters

Features

- Valve with 2.0" union set & pressure gauge (BLACK)
- Connection: Bolt Type
- Max Working Pressure: 4 bar
- Max Water Temperature: 50°C
- Flow Rate: 36m³/h @ 4 bar

| Product Code | Model | Model Code |
|--------------|-------|------------|
| PE0254 | MPV12 | 88280352B |



Emaux 2.0" 6 Way Side Mount Multiport Valve

For Side Mount Fibreglass & Plastic Filters – Emaux Max & S Series Filters

Features

- Valve only (BLACK)
- Connection: Union Connection
- Max Working Pressure: 4 bar
- Max Water Temperature: 50°C
- Flow Rate: 27m³/h @ 4 bar

| Product Code | Model | Model Code |
|---------------------|-------|------------|
| PE1205 (valve only) | MPV04 | 88280806B |
| PE1236 | MPV04 | 88280812B |



Emaux 3.0" 6 Way Commercial Side Mount Multiport Valve

For Side Mount Fibreglass & Plastic Filters – Emaux S, NL & K Series Filters

Features

- Valve only (BLACK)
- Connection: Flange Type
- Max Working Pressure: 4 bar
- Max Water Temperature: 50°C
- Flow Rate: 52m³/h @ 4 bar

| Product Code | Model | Model Code |
|--------------|-------|------------|
| PE1206 | MPV14 | 88280808B |



Emaux 4.0" 6 Way Commercial Side Mount Multiport Valve

For Side Mount Fibreglass & Plastic Filters – Emaux Max & S Series Filters

Features

- Valve only (BLACK)
- Connection: Flange Type
- Max Working Pressure: 4 bar
- Max Water Temperature: 50°C
- Flow Rate: 108m³/h @ 4 bar

| Product Code | Model | Model Code |
|--------------|-------|------------|
| PE1207 | MPV15 | 88280809B |

SELECTOR VALVES - *continued*



Davey Multiport Valve

For Top Mount Fibreglass & Plastic Filters – Emaux V Series Filters

Features

- Valve with 40mm or 50mm unions

| Product Code | Model | Model Code |
|--------------|-------|------------|
| PE1621 | 40mm | DMPV40 |
| PE2086 | 50mm | DMPV50 |

Emaux Check Valve



Features

- Made of durable ABS & PVC
- Large handle for easy adjustment
- Max Working Pressure: 4 bar
- Withstand extreme chemical & temperature fluctuations
- Suitable for 1.5" (50mm) or 2" (63mm) PVC pipe

| Product Code | Connection | Model | Model Code |
|--------------|------------|----------|------------|
| PE0259 | 1.5" | V40-1(A) | 88460311 |
| PE0260 | 2.0" | V50-1(A) | 88460312 |

Emaux 2-Way Valve



Features

- Made of durable ABS & PVC
- Large handle for easy adjustment
- Max Working Pressure: 4 bar
- Withstand extreme chemical & temperature fluctuations
- Suitable for 1.5" (50mm) or 2" (63mm) PVC pipe

| Product Code | Connection | Model | Model Code |
|--------------|------------|----------|------------|
| PE0255 | 1.5" | V40-2(A) | 88460111 |
| PE0256 | 2.0" | V50-2(A) | 88460112 |

Emaux 3-Way Valve



Features

- Made of durable ABS & PVC
- Large handle for easy adjustment
- Max Working Pressure: 4 bar
- Withstand extreme chemical & temperature fluctuations
- Suitable for 1.5" (50mm) or 2" (63mm) PVC pipe

| Product Code | Connection | Model | Model Code |
|--------------|------------|----------|------------|
| PE0257 | 1.5" | V40-3(A) | 88460211 |
| PE0258 | 2.0" | V50-3(A) | 88460212 |

CARTRIDGE FILTERS



Emaux CF Series Cartridge Filter

Cartridge Filters for Residential & Semi-Commercial Pools

Features

- UV resistant plastic tank
- Heavy duty ring lock
- Screw type air bleeder for easy removal of trapped air
- Cartridge filter element
- Universal standard union connector
- Pressure gauge

| Product Code | Product | Model | Filter Area (m ²) | Valve Connection | Bar | Model Code |
|--------------|----------------------------|-------|-------------------------------|------------------|-----|------------|
| PE0244 | CF Series Cartridge Filter | CF100 | 9.40 | 2.0" | 2.5 | 88060104 |
| PE0245 | CF Series Cartridge Filter | CF150 | 13.72 | 2.0" | 2.5 | 88060105 |
| PE0246 | CF Series Cartridge Filter | CF200 | 16.82 | 2.0" | 2.5 | 88060106 |

Emaux Cartridge Filter Element



| Product | CF Series Cartridge Filter Element | | | |
|-----------------|------------------------------------|----------|----------|-----------|
| Model | CF75-CE | CF100-CE | CF150-CE | CF200-CE |
| Product Code | PE0751 | PE0247 | PE0285 | PE0249 |
| Diameter (mm) | 183 | 183 | 183 | 183 |
| Height (mm) | 544.5 | 724.5 | 904.5 | 544.5 x 2 |
| Micron (µm) | ≥15 | ≥15 | ≥15 | ≥15 |
| Number of Folds | 150 | 150 | 175 | 200 |
| Model Code | 88060104 | 88060104 | 88060105 | 88060106 |



Davey CrystalClear® Cartridge Filter

Features

- Available in 6 models with filtration area : 50 ft² to 225 ft²
- Filter lid retained by ring lock for easy access to clean element
- Choice of 2 inlet ports, either 90° or 180° to outlet
- Guarantee : 5 years (tank & lid)

| Product Code | Product | Model | Filter Area (ft ²) | Valve Connection | Max Flow | Model Code |
|--------------|--------------------------------------|-------|--------------------------------|------------------|----------|------------|
| | Davey CrystalClear® Cartridge Filter | 39050 | 50 | 40/50mm | 205 Lpmi | 39050 |
| PE2083 | Davey CrystalClear® Cartridge Filter | 39075 | 75 | 40/50mm | 270 Lpm | 39075 |
| PE2084 | Davey CrystalClear® Cartridge Filter | 39100 | 100 | 40/50mm | 400 Lpm | 39100 |
| PE2085 | Davey CrystalClear® Cartridge Filter | 39150 | 150 | 40/50mm | 450 Lpm | 39150 |
| | Davey CrystalClear® Cartridge Filter | 39175 | 175 | 40/50mm | 540 Lpm | 39175 |
| | Davey CrystalClear® Cartridge Filter | 39225 | 225 | 40/50mm | 670 Lpm | 39225 |

| Product Code | Replacement Cartridge Element | Model | Model Code |
|--------------|--------------------------------------|---------------------|-------------|
| | Davey CrystalClear® Cartridge Filter | 50 ft ² | Q2310 |
| PE2083 | Davey CrystalClear® Cartridge Filter | 75 ft ² | Q2311 |
| PE2084 | Davey CrystalClear® Cartridge Filter | 100 ft ² | Q2312 |
| PE2085 | Davey CrystalClear® Cartridge Filter | 150 ft ² | Q2313 |
| | Davey CrystalClear® Cartridge Filter | 175 ft ² | Q2311/Q2312 |
| | Davey CrystalClear® Cartridge Filter | 225 ft ² | Q2311/Q2313 |

PRESSURE GAUGES

Emaux oil-filled, stainless steel pressure gauges

| Product Code | Product | Model Code |
|--------------|---------------------------------|------------|
| PE0653 | Bottom mount, max 40 psi/275kPa | 06011029 |
| PE1197 | Side mount, max 40 psi/275kPa | 06011032 |



CARTRIDGE FILTERS - *continued*



Pentair Clean & Clear Plus Cartridge Filter

High capacity 'Mega' cartridge filter

Features

- Large filter area for increased dirt capacity
- 1.5" 100% drain clean-out port
- Continuous high flow internal air relief
- ¼ turn manual air relief valve with hose port
- 50mm barrel unions
- Tension Control clamp



STA-RITE™ Posi-Clear RP Cartridge Filter

Raised port cartridge filter

Features

- Raised port – uses whole height of cartridge
- Raised port – cyclone effect flings larger particles out to simply drain off
- 1.0" drain & wash out port
- Continuous high flow internal air relief valve
- Coreless cartridge for easy cleaning



Pentair FreeFlo Cartridge Filter

High performance cartridge filter

Features

- Lid & locking ring have large handles for easy grip
- 2 inlet & 2 outlet port. 90° opposed allows flexible fitting configuration
- 40mm & 50mm barrel unions included
- Internal bypass valve prevents exceedingly high pressures
- Stainless steel oil-filled pressure gauge

| Product Code | Product | Model | Filter Area (m ²) | Valve Connection | Max Pressure | Model Code |
|--------------|---|---------|-------------------------------|------------------|--------------|------------|
| PE1172 | Pentair Clean & Clear Plus Cartridge Filter | CN320 | 31.6 | 50mm | 50 psi | 160427 |
| PE1059 | Pentair Clean & Clear Plus Cartridge Filter | CN520 | 48.3 | 50mm | 50 psi | 160429 |
| PE0159 | STA-RITE™ Posi-Clear Cartridge Filter | PCRP100 | 9.3 | 50mm | 50 psi | 160351 |
| PE0160 | STA-RITE™ Posi-Clear Cartridge Filter | PCRP150 | 13.9 | 50mm | 50 psi | 160352 |
| Pe0158 | STA-RITE™ Posi-Clear Cartridge Filter | PCRP200 | 18.6 | 50mm | 50 psi | 160350 |
| PE0176 | Pentair FreeFlo Cartridge Filter | FFCF100 | 9.3 | 40/50mm | 250kPa | FFCF100 |
| PE0177 | Pentair FreeFlo Cartridge Filter | FFCF150 | 13.9 | 40/50mm | 250kPa | FFCF150 |
| PE1956 | Pentair FreeFlo Cartridge Filter | FFCF200 | 18.6 | 40/50mm | 250kPa | FFCF200 |

| Product Code | Replacement Cartridge Element | Model | Model Code |
|--------------|--|-----------|-------------|
| PE0945 | Pentair Pantera PCFII Cartridge Filter | PCFII-150 | PCFII-RC150 |
| PE0866 | | PCFII-200 | PCFII-RC200 |
| PE1163 | Pentair Clean & Clear Plus Cartridge Filter | CN320 | R173573 |
| PE1333 | | CN520 | R173578 |
| PE1117 | STA-RITE™ Posi-Clear Cartridge Filter | PCRP100 | R173215 |
| | | PCRP150 | R173216 |
| | | PCRP200 | R173217 |
| PE1589 | Pentair FreeFlo Cartridge Filter (<i>pre 2017</i>) | FFCF100 | 800751 |
| PE1458 | Pentair FreeFlo Cartridge Filter | FFCF100 | 800760 |
| | Pentair FreeFlo Cartridge Filter (<i>pre 2017</i>) | FFCF150 | 800752 |
| | Pentair FreeFlo Cartridge Filter | FFCF150 | 800761 |
| | Pentair FreeFlo Cartridge Filter (<i>pre 2017</i>) | FFCF200 | 800753 |
| | Pentair FreeFlo Cartridge Filter | FFCF200 | 800762 |

FILTERS MEDIA

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|------------------------|------------|---------------------------------|--------------|--------|----------------|-------|------------------|----|--|--------|--------|--------|--------|-----|-------|-----|--------|-----|-------|-----|--------|-----|-------|-----|--------|-----|-------|--|--|--|--|
| | <table border="1"> <tr><td>Product</td><td>Zeofresh</td></tr> <tr><td>Media Type</td><td>Australian Zeolite</td></tr> <tr><td>Product Code</td><td>PC0003</td></tr> <tr><td>Unit Pack Size</td><td>15 kg</td></tr> <tr><td>Units per Pallet</td><td>76</td></tr> </table> | Product | Zeofresh | Media Type | Australian Zeolite | Product Code | PC0003 | Unit Pack Size | 15 kg | Units per Pallet | 76 | | | | | | | | | | | | | | | | | | | | | | | |
| Product | Zeofresh | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Media Type | Australian Zeolite | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Product Code | PC0003 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Unit Pack Size | 15 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Units per Pallet | 76 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>NEW Pack Size</p> | <table border="1"> <tr><td>Product</td><td>EcoClear® Filter Media</td></tr> <tr><td>Media Type</td><td>100% Recycled Glass (Fine)</td></tr> <tr><td>Product Code</td><td>PE1960</td></tr> <tr><td>Unit Pack Size</td><td>20 kg</td></tr> <tr><td>Units per Pallet</td><td>49</td></tr> </table> | Product | EcoClear® Filter Media | Media Type | 100% Recycled Glass (Fine) | Product Code | PE1960 | Unit Pack Size | 20 kg | Units per Pallet | 49 | <table border="1"> <tr><td>Filter</td><td>Weight</td><td>Filter</td><td>Weight</td></tr> <tr><td>20"</td><td>45 kg</td><td>28"</td><td>105 kg</td></tr> <tr><td>24"</td><td>90 kg</td><td>30"</td><td>120 kg</td></tr> <tr><td>25"</td><td>90 kg</td><td>32"</td><td>150 kg</td></tr> <tr><td>26"</td><td>90 kg</td><td></td><td></td></tr> </table> | Filter | Weight | Filter | Weight | 20" | 45 kg | 28" | 105 kg | 24" | 90 kg | 30" | 120 kg | 25" | 90 kg | 32" | 150 kg | 26" | 90 kg | | | | |
| Product | EcoClear® Filter Media | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Media Type | 100% Recycled Glass (Fine) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Product Code | PE1960 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Unit Pack Size | 20 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Units per Pallet | 49 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Filter | Weight | Filter | Weight | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20" | 45 kg | 28" | 105 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 24" | 90 kg | 30" | 120 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 25" | 90 kg | 32" | 150 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 26" | 90 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <ul style="list-style-type: none"> Filters down to 4 µm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>NEW Pack Size</p> | <table border="1"> <tr><td>Product</td><td>EcoClear® Filter Media</td></tr> <tr><td>Media Type</td><td>100% Recycled Glass (Coarse)</td></tr> <tr><td>Product Code</td><td>PE1961</td></tr> <tr><td>Unit Pack Size</td><td>20 kg</td></tr> <tr><td>Units per Pallet</td><td>49</td></tr> </table> | Product | EcoClear® Filter Media | Media Type | 100% Recycled Glass (Coarse) | Product Code | PE1961 | Unit Pack Size | 20 kg | Units per Pallet | 49 | <table border="1"> <tr><td>Filter</td><td>Weight</td><td>Filter</td><td>Weight</td></tr> <tr><td>20"</td><td>30 kg</td><td>28"</td><td>45 kg</td></tr> <tr><td>24"</td><td>30 kg</td><td>30"</td><td>45 kg</td></tr> <tr><td>25"</td><td>45 kg</td><td>32"</td><td>60 kg</td></tr> <tr><td>26"</td><td>45 kg</td><td></td><td></td></tr> </table> | Filter | Weight | Filter | Weight | 20" | 30 kg | 28" | 45 kg | 24" | 30 kg | 30" | 45 kg | 25" | 45 kg | 32" | 60 kg | 26" | 45 kg | | | | |
| Product | EcoClear® Filter Media | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Media Type | 100% Recycled Glass (Coarse) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Product Code | PE1961 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Unit Pack Size | 20 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Units per Pallet | 49 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Filter | Weight | Filter | Weight | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20" | 30 kg | 28" | 45 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 24" | 30 kg | 30" | 45 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 25" | 45 kg | 32" | 60 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 26" | 45 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <ul style="list-style-type: none"> Filters down to 4 µm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <tr><td>Product</td><td>Graded Silica Sand</td></tr> <tr><td>Media Type</td><td>Sand (Fine) 16/30 (-1+0.5mm)</td></tr> <tr><td>Product Code</td><td>PC0218</td></tr> <tr><td>Unit Pack Size</td><td>25 kg</td></tr> <tr><td>Units per Pallet</td><td></td></tr> </table> | Product | Graded Silica Sand | Media Type | Sand (Fine) 16/30 (-1+0.5mm) | Product Code | PC0218 | Unit Pack Size | 25 kg | Units per Pallet | | | | | | | | | | | | | | | | | | | | | | | | |
| Product | Graded Silica Sand | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Media Type | Sand (Fine) 16/30 (-1+0.5mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Product Code | PC0218 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Unit Pack Size | 25 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Units per Pallet | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <tr><td>Product</td><td>Graded Silica Sand</td></tr> <tr><td>Media Type</td><td>Sand (Coarse) 8/16 (-3.2+1.6mm)</td></tr> <tr><td>Product Code</td><td>PC0219</td></tr> <tr><td>Unit Pack Size</td><td>25 kg</td></tr> <tr><td>Units per Pallet</td><td></td></tr> </table> | Product | Graded Silica Sand | Media Type | Sand (Coarse) 8/16 (-3.2+1.6mm) | Product Code | PC0219 | Unit Pack Size | 25 kg | Units per Pallet | | | | | | | | | | | | | | | | | | | | | | | | |
| Product | Graded Silica Sand | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Media Type | Sand (Coarse) 8/16 (-3.2+1.6mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Product Code | PC0219 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Unit Pack Size | 25 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Units per Pallet | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <tr><td>Product</td><td>Aquaperl</td></tr> <tr><td>Media Type</td><td>Perlite</td></tr> <tr><td>Product Code</td><td>PC0003</td></tr> <tr><td>Unit Pack Size</td><td>10 kg</td></tr> <tr><td>Units per Pallet</td><td></td></tr> </table> | Product | Aquaperl | Media Type | Perlite | Product Code | PC0003 | Unit Pack Size | 10 kg | Units per Pallet | | | | | | | | | | | | | | | | | | | | | | | | |
| Product | Aquaperl | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Media Type | Perlite | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Product Code | PC0003 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Unit Pack Size | 10 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Units per Pallet | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <ul style="list-style-type: none"> Adding 1.2kg/m² to a sand filter significantly improved removal of 5 µm particles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

CHLORINATORS



Emaux SSC Series Salt Water Chlorinator

For Residential & Semi-Commercial Pools

Features

- Self cleaning, reverse polarity
- Quality titanium cells
- 2 models to choose: 15 & 25 g/h
- Pool light transformer model available



Emaux Superior SSC Salt Water Chlorinator

For Residential & Semi-Commercial Pools

Features

- Self cleaning, reverse polarity
- Quality titanium cells
- 3 models to choose: 15, 25 or 45 g/h
- Pool light transformer model available

| Product Code | Product | Model | Salt Level (ppm) | Cell Output (g/h) | Pool Volume (L) | | Pool Light Voltage | Weight (kg) | Model Code |
|--------------|---|-----------|------------------|-------------------|-----------------|----------|--------------------|-------------|------------|
| | | | | | Fibreglass | Concrete | | | |
| PE0794 | SSC Series with Time Clock | SSC15-T | 4000 | 15 | 50,000 | 45,000 | N/A | 6.6 | 88380401 |
| PE0795 | | SSC25-T | | 25 | 75,000 | 70,000 | | 7.5 | 88380402 |
| PE0797 | SSC Series with Time Clock & Pool Light Transformer | SSC15-TLT | | 15 | 50,000 | 45,000 | 12V AC | 8.4 | 88380201 |
| PE0798 | | SSC25-TLT | | 25 | 75,000 | 70,000 | 12V AC | 8.8 | 88380202 |
| PE1198 | Superior SSC Series with Time Clock | SUC15-T | | 15 | 50,000 | 45,000 | N/A | 6.6 | 9130017 |
| PE1199 | | SUC25-T | | 25 | 75,000 | 70,000 | | 7.5 | 9130015 |
| PE1510 | | SUC50-T | | 45 | 120,00 | 110,000 | | 9.8 | 9130020 |
| PE1200 | Superior SSC Series with Time Clock & Pool Light Transformer | SUC15-TLT | | 15 | 50,000 | 45,000 | 12V AC | 8.4 | 9130018 |
| PE1201 | | SUC25-TLT | | 25 | 75,000 | 70,000 | | 8.8 | 9130013 |
| | | SUC50-TLT | | 45 | 75,000 | 70,000 | | 8.8 | |

EMAUX REPLACEMENT CELL

| Product Code | Product Model | Model | Model Code |
|--------------|---|--------|------------|
| PE0656 | Replacement Cell for SSC15 & SUC15 | 15C | 08050018 |
| PE0657 | Replacement Cell for SSC25, SSC50, SUC25 & SUC50 | 25/50C | 08050019 |
| PE0704 | Cable set for SSC Replacement Cell <i>may be required for PE0656 & PE0657</i> | | 9130021 |

EMAUX IN-LINE SACRIFICIAL ANODE SHIELD



Emaux Sacrificial Anode Shield

For Pools & Spas

Features

- Built-in Zinc Sacrificial Anode protects bathers from electric shock risk, especially in fibreglass pool without metal bonding
- Prevents electrolytic corrosion of pool metal parts in mineral salt chlorination systems, such as chlorinator titanium cell plates, stainless steel ladders, heat pump heat exchangers, UV-C stainless steel casing, light stainless steel niche, & pump motor aluminium housing
- Once installed, sacrificial anode is consumed instead of other metal parts

| Product Code | Product Model | Model | Model Code |
|--------------|--------------------------------------|-----------|------------|
| PE1242 | Emaux In-Line Zinc Sacrificial Anode | DF50-1(A) | 91602702 |

CHLORINATORS - continued



Onga® FreeFlo Salt Water Chlorinator

For Residential & Semi-Commercial Pools

Features

- Self cleaning, reverse polarity
- Quality titanium cells
- 3 models to choose: 15, 25 or 45 g/h
- Pool light transformer model available

| Product Code | Product | Model | Salt Level (ppm) | Cal Hypo (65%) Equiv | Sod Hypo (12.5%) Equiv | Cell Output | Carton Weight | Model Code |
|--------------|-------------------|-------------|------------------|----------------------|------------------------|-------------|---------------|-------------|
| PE1174 | With Quartz Timer | FFCL-15-RPQ | | 23 g | 120 mL | 15 g/h | 12 kg | FFCL-15-RPQ |
| PE1175 | | FFCL-25-RPQ | | 38 g | 200 mL | 25 g/h | 13 kg | FFCL-25-RPQ |
| PE0002 | | FFCL-35-RPQ | | 54 g | 280 mL | 35 g/h | 14 kg | FFCL-35-RPQ |
| PE0852 | With Dual Outlet | FFCL-15-RP2 | | 23 g | 120 mL | 15 g/h | 12 kg | FFCL-15-RP2 |
| PE0321 | | FFCL-25-RP2 | | 38 g | 200 mL | 25 g/h | 13 kg | FFCL-25-RP2 |
| PE0853 | | FFCL-35-RP2 | | 54 g | 280 mL | 35 g/h | 14 kg | FFCL-35-RP2 |

ONGA REPLACEMENT CELL

| Product Code | Product Model | Model | Model Code |
|--------------|------------------------------------|-------|------------|
| PE1025 | Replacement Cell for Onga® FreeFlo | 15g | 801933 |
| PE1208 | | 25 g | 801934 |
| PE1209 | | 35 g | 801935 |

Reltech EvoChlor Mineral / Salt Chlorinator



Features

- Self Cleaning, reverse polarity electrolytic cell
- Suits standard salt & mineral / magnesium based pools
- Energy efficient, 0.2 kW consumption
- No internal fuse / external reset button
- Flashing LED water fault warning light
- Australian design & manufacture

| Product Code | Product | Cell Output (g/h) | Sod Hypo (12.5%) Equiv | Max Pool Capacity (L) | Model Code |
|--------------|-------------------------------------|-------------------|------------------------|-----------------------|------------|
| PE0342 | EvoChlor Mineral / Salt Chlorinator | 15 | 150 mL | 30-35,000 | EV 15 |
| PE0343 | with analogue time clock | 25 | 250 mL | 65-75,000 | EV 25 |
| PE0344 | | 35 | 350 mL | 90-100,00 | EV 35 |

Compupool Compuchlor CC Series Salt Chlorinator



Features

- Low salinity of 3000ppm
- Self-cleaning & reverse polarity cell
- Fully variable chlorine output control
- Analogue time clock *with optional battery back up*
- Heavy duty electrolytic plates
- Designed & manufactured in Australia
- 5 years warranty: *2 years full & 3 years pro-rata*

CHLORINATORS - continued

| Product Code | Product | Cell Output (g/h) | Max Pool Tropical | Max Pool Temperate | Model Code |
|--------------|--|-------------------|-------------------|--------------------|------------|
| PE1436 | Compuchlor CC Series Salt Chlorinators | 15 | 35,000 L | 60,000 L | CC15 |
| PE1437 | | 20 | 50,000 L | 80,000 L | CC20 |
| PE1438 | | 25 | 60,000 L | 100,000 L | CC25 |
| PE1530 | | 30 | 80,000 L | 150,000L | CC30 |

Compupool Infinity Series Salt Chlorinator



Features

- High velocity cell for superior performance & reduced cell cleaning
- Superior cooling function for power module
- Run at a wider range of salinity – optimal salinity is 3500ppm
- Self-regulating feature if salt concentration becomes too high
- OLED interface for faster checking
- Long life titanium electrodes coated with precious metals
- Self-cleaning

| Product Code | Product | Cell Output (g/h) | Max Pool Tropical | Max Pool Temperate | Model Code |
|--------------|--|-------------------|-------------------|--------------------|------------|
| PE1435 | Compupool Infinity Series Salt Chlorinator | 18 | 35,000 L | 60,000 L | i-15 |
| PE1252 | | 27 | 60,000 L | 100,000 L | i-25 |
| PE1312 | | 36 | 80,000 L | 150,000 L | i-40 |
| PE1530 | | 42 | 100,000 L | 180,000L | i-60 |

| Product Code | Product Model | Model | Model Code |
|--------------|--|-------|------------|
| PE1784 | Replacement Cell for Infinity Series Salt Chlorinators | i-15 | 48301 |
| PE1440 | | i-25 | 48302 |
| PE1785 | | i-40 | 48303 |
| PE1786 | | i-60 | 48304 |
| PE2024 | Replacement Power Module for Infinity Series Salt Chlorinators | | |

Pool Pro CPP & CPPS Series Salt Water Chlorinator



Features

- Low salt requirement (3,000 – 3,500 ppm)
- Standard & self cleaning models available
- Titanium cells
- Quartz timer with built-in battery back up
- Winter function mode

Neptune Digital Salt Chlorinator



Features

- Low salt requirement (2,500 – 3,500 ppm)
- Built-in self regulator for high salt
- Multi-function LCD touch screen
- Self cleaning technology
- Titanium cells
- Cell design allows for vertical or horizontal installation
- Back wash, super chlorinate & winter function modes

CHLORINATORS - *continued*

| Product Code | Product | Cell Output (g/h) | Max Pool Capacity (L) | Model Code |
|--------------|---------------------------------------|-------------------|-----------------------|------------|
| PE1073 | CPP Series Standard Chlorinator | 20 | 55,000 | CPP20 |
| PE1074 | | 30 | 80,000 | CPP30 |
| PE0885 | CPPS Series Self-Cleaning Chlorinator | 25 | 55,000 | CPPS20 |
| PE1028 | | 35 | 80,000 | CPPS30 |
| PE1179 | Neptune Digital Salt Chlorinator | 15 | 40,000 | NDC15 |
| PE1180 | | 25 | 65,000 | NDC25 |

REPLACEMENT CELLS (*Genuine & Generic*)

| | | |
|---|--------------|--|
|  | Product | Generic cell suits Astral/Hurlcon VX7 |
| | Product Code | PE0403 |
| | Output | 25 g/h |
| | Plates | 7 |
| | Length | 150 mm |
| | Model Code | PPVX7-G |
|  | Product | Generic cell suits Astral/Hurlcon VX9 & E35 |
| | Product Code | PE0404 |
| | Output | 30 - 35 g/h |
| | Plates | 9 |
| | Length | 150 mm |
|  | Product | Generic cell suits Astral/Hurlcon VX11 & VX13 |
| | Product Code | PE0401 |
| | Output | 42 – 45 g/h |
| | Plates | 11 |
| | Length | 150 mm |
|  | Product | Generic cell suits Autochlor AC25/AC30 & K-Chlor 25 |
| | Product Code | PE0405 |
| | Output | 25 g/h |
| | Plates | 7 |
| | Length | 150 mm (<i>Threadlock cap</i>) |
|  | Product | Generic cell suits Autochlor RP25 New Style RP |
| | Product Code | PE0406 |
| | Output | 25 g/h |
| | Plates | 7 |
| | Length | 150 mm (<i>Threadlock cap</i>) |
|  | Product | Generic cell suits Clearwater B200, B270, LS4000 & TS190 STD |
| | Product Code | PE0407 |
| | Output | 21 g/h |
| | Plates | 7 |
| | Length | 155 mm (<i>Bayonet cap</i>) |
|  | Product | Generic cell suits Clearwater C200, C270, LS4000 & TS190 STD |
| | Product Code | PE0410 |
| | Output | 21 g/h |
| | Plates | 7 |
| | Length | 155 mm (<i>Threadlock cap with locking ring</i>) |
| | Model Code | PPC200-C270 |

CHLORINATORS - *continued*

REPLACEMENT CELLS (*Genuine & Generic*) - *continued*

| | | |
|---|---------------|--|
|  | Product | Generic cell suits Clearwater C250, C330 & HS7000 STD |
| | Product Code | PE0409 |
| | Output Plates | 26 g/h 7 |
| | Length | 185 mm (<i>Threadlock cap with locking ring</i>) |
|  | Model Code | PPC330-250 |
| | Product | Generic cell suits Compuchlor L210 STD |
| | Product Code | PE0411 |
| | Output Plates | 21 g/h 5 |
|  | Length | 225 mm (<i>Suits original 3 plates, 480 mm cell</i>) |
| | Model Code | PPL210 |
| | Product | Generic cell suits Zodiac TRI MID RP |
| | Product Code | PE0416 |
|  | Output Plates | 25 g/h 11 |
| | Length | 75 mm |
| | Model Code | PPTRI-MIDI-G |
| | Product | Generic cell suits Zodiac TRI LARGE RP |
|  | Product Code | PE0417 |
| | Output Plates | 35 g/h 11 |
| | Length | 100 mm |
| | Model Code | PPTRI-LGE-MAXI-G |
|  | Product | Generic cell suits Zodiac Ei 25 RP |
| | Product Code | PE0418 |
| | Output Plates | 25 g/h 11 |
| | Length | 83 mm |
|  | Model Code | PPEI25-G |
| | Product | Generic cell suits Zodiac LM3-20 RP |
| | Product Code | PE0420 |
| | Output Plates | 20 g/h 9 |
|  | Length | 66 mm |
| | Model Code | PPTRI-MIDI-G |
| | Product | <i>Genuine</i> cell suits Crystal Clear RP2000 RP |
| | Product Code | PE0414 |
|  | Output Plates | 20 g/h 5 |
| | Length | 200 mm |
| | Model Code | PPCC20RP |
| | Product | <i>Genuine</i> cell suits Crystal Clear RP3000 RP |
|  | Product Code | PE0415 |
| | Output Plates | 30 g/h 7 |
| | Length | 200 mm |
| | Model Code | PPCC30RP |
|  | Product | <i>Genuine</i> cell suits Crystal Clear RP4000 RP |
| | Product Code | PE1077 |
| | Output Plates | 40 g/h 9 |
| | Length | 200 mm |
| | Model Code | PPCC40RP |

CHLORINATORS - *continued*

REPLACEMENT CELLS (*Genuine & Generic*) - *continued*

| | | |
|--|---------------|---|
| | Product | Genuine cell suits Crystal Clear EC2000 STD |
| | Product Code | PE0413 |
| | Output Plates | 20 g/h |
| | Length | 5 |
| | Model Code | PPCC20EC |
| | Product | Genuine cell suits Crystal Clear EC4000 STD |
| | Product Code | PE1076 |
| | Output Plates | 40 g/h |
| | Length | 9 |
| | Model Code | PPCC40EC |

ULTIMA Professional Swimming Pool Controller

Features

- Professionally designed to provide consistent & reliable control on all pool functions
- Customisable to cater for smaller spas to large aquatic facilities
- 7" touch screen controller
- Combines control logic for pH correction with multiple options for acid &/or CO₂ dosing
- Includes options for dual sanitisation control (ORP & FAC probes).
- Provides options for using with any type of sanitiser dosing equipment
- Multiple timers provides options for controlling other pool equipment
- Parameters controlled: FAC, ORP, single pH, dual pH, backup chlorination, conductivity/TDS
- Remote access options (modem, WiFi, Ethernet)
- USB port to download data or upload settings



| Product Code | Product | Model Code |
|--------------|--|------------|
| | ULTIMA Pool controller with FAC & manifold on PVC backboard | UFL |
| | ULTIMA Salt pool controller with FAC & manifold on PVC backboard | UFC |
| | ULTIMA Pool controller & manifold on PVC backboard | UPL |
| | ULTIMA Salt pool controller & manifold on PVC backboard | UPC |
| | ULTIMA Spa controller & manifold on PVC backboard | USPA |

AUTOMATIC INLINE SANITISER FEEDER

Pentair Rainbow™ Chlorine/Bromine Inline Feeder

The efficient, easy way to sanitise the pool or spa

Features

- Suits large or small Trichlor or Bromine slow-dissolving tablets or sticks
- External fine control valve to adjust feed rate to suit pool or spa
- Easy installation
- Completely enclosed system – no escaping fumes
- Top loading for easy addition of chemicals
- Save time & reduce manual handling of chemicals



| Product Code | Product | Model | Carton Weight (kg) | Model Code |
|--------------|---|-------|--------------------|------------|
| PE0799 | Pentair Rainbow™ Inline Feeder, holds 11 large or 98 small Bromine or slow dissolving Trichlor tablets (or sticks). Treats 25,000 – 100,00L (bottom feed) & 68,000 – 265,000L (top feed), white body | 320 | 15 | R171096 |
| PE0800 | Pentair Rainbow™ Inline Feeder, holds 11 large or 98 small Bromine or slow dissolving Trichlor tablets (or sticks). Treats 25,000 – 100,00L (bottom feed) & 68,000 – 265,000L (top feed), see through amber body | 320C | 15 | R171218 |

POOL CLEANERS



Pentair Rebel® 2 Automatic Vacuum Pool Cleaner

Features

- Suits all pool types
- Sure-Flow turbine design ensures clog-free cleaning
- Climbs most walls
- Maneuvers up & over obstacles
- Enhanced hydraulic design complements variable speed & flow pumps
- SmartTrac™ programmed steering & steady grip tyre traction for superior floor-to-wall cleaning



Pentair Mako Shark® Automatic Inground Pool Cleaner

Features

- Superior vacuum power & extra wide mouth to easily capture large & small debris
- Superior seal design assures unit will not get stuck & keep on track
- Built-in bumper assures free movement around steps & ladders
- Sound dampening casing
- Easy installation without tools to skimmer



Onga® Hammerhead® Automatic Inground Pool Cleaner

Features

- Only one operational moving part
- UV stable & chemical resistant
- No bags or compartment to empty or replace
- No booster pump required to operate
- Sleek, compact design for increased maneuverability



Onga® Pool Shark® Automatic Inground Pool Cleaner

Features

- Effectively cleansgunite, fibreglass, vinyl & other specialty surfaces
- 2-way cleaning action: multiple rows of squeegee-like fins plus vortex chamber
- 30cm wide path for maximum cleaning efficiency

| Product Code | Product | Carton Weight | Model Code |
|--------------|---|---------------|------------|
| PE1137 | Pentair Rebel® 2 Automatic Vacuum Pool Cleaner | 6.5 kg | R171218 |
| PE0185 | Pentair Mako Shark® Automatic Inground Pool Cleaner | 6.5 kg | M0721BG |
| PE1063 | Onga® Hammerhead® Automatic Inground Pool Cleaner | 6.5 kg | K0720 |
| PE0181 | Onga® Pool Shark® Automatic Inground Pool Cleaner | 6.4 kg | GW7500 |
| PE0223 | Pentair Rebel® Tune Up Kit | | 810942 |
| PE1957 | Pentair Rebel® 2 Tune Up Kit | | 800139 |

POOL CLEANERS - continued



Pool Pro Neptune GT3 Pool Cleaner

Features

- Suits all pool types
- Climbs walls on most pool surfaces
- 2-wheel suction pool cleaner
- Turbine drive action
- Includes 10m hose & all connectors for full installation



Pool Pro Acrobat GT Diaphragm Pool Cleaner

Features

- Suits all pool types
- Diaphragm cleaner
- Includes 10 x 1m segmented hose & connectors

| Product Code | Product | Model Code |
|--------------|--|------------|
| PE1160 | Pool Pro Neptune GT3 Pool Cleaner <i>Temporarily unavailable</i> | 360275-AU |
| PE0886 | Pool Pro Acrobat GT Diaphragm Pool Cleaner | R171218 |

ROBOTIC POOL CLEANERS



Dolphin™ X30 Robotic Pool Cleaner

Features

- Quick water release system
- 2 filtration options to capture rough debris or fine dirt
- All terrain PVC brush dual active scrubber
- PowerStream mobility system
- CleverClean™ scanner for maximum coverage – *Floor, wall & waterline*
- 18m cable
- Ideal for pool lengths up to 12m
- 2 hours cleaning cycle time



Dolphin™ X40 Plus Robotic Pool Cleaner

Features

- Multi-function power supply - *cycle selector, weekly timer, delay start*
- Smartphone app connectivity – *MyDolphin™ Plus app*
- Multi-layer filter for fine & coarse debris
- All terrain PVC brush dual active scrubber
- CleverClean™ scanner for maximum coverage – *Floor, wall & waterline*
- 18m cable, includes caddy
- Ideal for pool lengths up to 12m
- 1.5 / 2 / 2.5 hours cleaning cycle time



Dolphin™ Swash CLX Robotic Pool Cleaner

Features

- Cartridge with net filter
- Combined Brush (*coarse surface*) or Wonder Brush (*smooth surface*) option active scrubber
- CleverClean™ scanner for maximum coverage – *Floor, wall & waterline*
- 18m SWIVEL cable
- Ideal for pool lengths up to 12m
- 2 hours cleaning cycle time

POOL CLEANERS - continued

ROBOTIC POOL CLEANERS - continued

Dolphin™ Swash TCX Robotic Pool Cleaner



Features

- Ideal for all shapes & lap pools
- Multi-function power supply - *weekly timer & filter indicator*
- Remote control
- Multi-layer filter for fine & coarse debris
- Combined Brush (coarse surface) or Wonder Brush (smooth surface) option dynamic dual drive scrubber
- CleverClean™ scanner for maximum coverage – *Floor, wall & waterline*
- 18m SWIVEL cable, includes caddy
- Ideal for pool lengths up to 12m
- 1.5 / 2 / 2.5 hours cleaning cycle time

| Product Code | Product | Model Code |
|--------------|--|--------------|
| PE1161 | Dolphin™ E10 Robotic Pool Cleaner | 9996133-AU |
| PE1965 | Dolphin™ X30 Robotic Pool Cleaner | 9996201-AU |
| PE1966 | Dolphin™ X40 Plus Robotic Pool Cleaner, <i>with caddy</i> | 9996211-AU |
| PE1967 | Dolphin™ Swash-X CLX <i>CB</i> Robotic Pool Cleaner | 99996049-SWX |
| PE1968 | Dolphin™ Swash-X CLX <i>WB</i> Robotic Pool Cleaner | 99996048-SWX |
| PE1969 | Dolphin™ Swash-X TCX <i>CB</i> Robotic Pool Cleaner, <i>with caddy</i> | 99996059-SWX |
| PE1970 | Dolphin™ Swash-X TCX <i>WB</i> Robotic Pool Cleaner, <i>with caddy</i> | 99996058-SWX |
| PE0966 | Pool Pro iCleaner 120 Domestic Robotic Cleaner, <i>15m light blue with caddy</i> | GW4900 |
| PE1227 | Pool Pro iCleaner 200 Commercial Robotic Cleaner, <i>20m light blue with caddy</i> | GW4905 |
| PE1228 | Pool Pro iCleaner 200 Commercial Robotic Cleaner, <i>30m light blue with caddy</i> | GW4907 |
| PE0169 | Pentair Prowler® 920 Robotic Inground Pool Cleaner | 360322-AU |
| PE1024 | Austail Raptor Robotic Pool Cleaner | HJ3012 |

POOL HEATING – HEAT PUMPS

AES Ultra Full Inverter ULT Series Heat Pump



Features

- Super quiet to operate – *less than 56 decibels*
- R32 gas – *3x more green-hous friendly*
- Bluefin coating (anti-corrosion)
- Titanium anti-corrosion heat exchanger
- User friendly automated heating
- Solar PV compatible
- Control from SmartPhone

AES Aqua Full Inverter Ai Series Heat Pump



Features

- Extremely quiet
- Variable speed compressor
- Soft start
- Bluefin coating (anti-corrosion)
- Spiral titanium anti-corrosion heat exchanger
- WiFi capabilities
- Solar PV compatible
- Control from SmartPhone

POOL HEATING – HEAT PUMPS



AES Commercial Full Inverter Heat Pump

Features

- DC Inverter compressor & fan technology for up to 10x quieter than standard ON/OFF heat pumps
- Maintain a coefficient of performance (COP) as high as 16.2 & runs an average COP of 10.1 at 50% capacity
- Lower running costs compared to ON/OFF heat pumps
- Soft start



Eziheat Serenity Performance Inverter Heat Pump

Features

- Super quiet 44 decibel operation – heating & cooling
- Front air flow design
- Twisted titanium exchanger
- Soft start with EEV Technology with stepless DC Inverter
- Average COP of 9.5 @ 50% speed
- Wide ambient working conditions: -5°C to 43°C
- Built-in WiFi connectivity



Eziheat Infinity Premium Inverter Heat Pump

Features

- Super quiet 40 decibel operation – heating & cooling
- Unique air flow design
- Premium touch pad controller
- Soft start with EEV Technology with stepless DC Inverter
- Average COP of 10.7 @ 50% speed
- Wide ambient working conditions: -10°C to 43°C
- Built-in Smart WiFi connectivity



Eziheat Ultra Commercial Inverter Heat Pump

Features

- Average COP of 10.0-10.5 @50% speed
- Mitsubishi twin rotary inverter compressor with vertical fan
- Comfort silence operation with 53 decibel at 1m
- EEV Technology – 20% higher efficiency than capillary
- 2 models option -Pool volume : 125-260kL (IM60) & 250-520kL (IM110)
- Wide ambient working conditions: -10°C to 43°C
- Twisted titanium heat exchanger – 40% higher efficiency
- Built-in WiFi connectivity



Pentair UltraTemp® HX Heat Pump

Features

- High performance, affordable heat pump with premium features
- Horizontal exhaust for small footprint & installations with overhangs
- High energy efficiency
- Titanium threaded heat exchanger
- Intuitive LCD touch screen
- Heats, cools & offer auto defrost
- Corrosion protection Hydrophilic Evaporator Coating
- Filter dryer eliminates ice & dirt block & also attenuates noise for quiet operation

POOL HEATING – HEAT PUMPS – *continued*

Pentair UltraTemp® VX Heat Pump



Features

- High performance, affordable heat pump with premium features
- Vertical exhaust eliminates horizontal clearance requirements
- High energy efficiency
- Titanium threaded heat exchanger
- Intuitive LCD touch screen
- Heats, cools & offer auto defrost
- Corrosion protection Hydrophilic Evaporator Coating
- Filter dryer eliminates ice & dirt block & also attenuates noise for quiet operation



Waterco Electroheat Plus MKIII Heat Pump

Features

- Compact design
- Vertical venting
- Smart controls for temperature management & self diagnosis
- Large evaporator area for maximum performance
- Titanium heat exchanger coil is highly resistant to ozone, iodine, baquacil, salt & chlorinated water

POOL HEATING – GAS HEATER



Pentair MasterTemp 125 Spa Gas Heater

Features

- High performance, affordable heater with premium features
- Energy efficiency among highest in its class
- 40mm (1.5”) plumbing connections – *ideal for small bodies of water including above-ground pools & spas*
- Pre-mixed combustion technology for fast heat up & low NOx emissions
- Easy to use digital display/control



Pentair MasterTemp Gas Heater

Features

- High performance with premium features
- Best-in-class energy efficiency*
- Manual gas shut-off when service is required
- Eco-friendly, certified for low NOx emission & out performs industry standards
- Rotating digital display for easy viewing

| Product Code | Product | Model | Model Code |
|--------------|-----------------------------------|--------|------------|
| PE1971 | AES Ultra Full Inverter | 9.5kW | ULT9.5 |
| PE1972 | AES Ultra Full Inverter | 11.5kW | ULT11.5 |
| PE1973 | AES Ultra Full Inverter | 15kW | ULT15 |
| PE1974 | AES Ultra Full Inverter | 21kW | ULT21 |
| PE1708 | AES Ultra Full Inverter | 25kW | ULT25 |
| PE2100 | AES Ultra Full Inverter (3 phase) | 30kW | ULT30T-V |
| PE1975 | AES Ultra Full Inverter (3 phase) | 35kW | ULT35T-V |

POOL HEATING – HEAT PUMPS & GAS HEATERS - *continued*

| Product Code | Product | Model | Model Code |
|--------------|---|-----------------|----------------------|
| PE1787 | AES Aqua Full Inverter <i>NEW</i> | 13kW | Fair-Air 13 |
| PE1978 | AES Aqua Full Inverter | 17kW | Fair-Air 17 (Ai17) |
| PE1979 | AES Aqua Full Inverter | 21kW | Fair-Air 21 (Ai21) |
| PE1980 | AES Aqua Full Inverter | 28kW | Fair-Air 28 (Ai28) |
| PE1981 | AES Aqua Full Inverter (3 phase) | 35kW | Fair-Air 35T (Ai35T) |
| PE1982 | AES Commercial Full Inverter (3 phase) | 60kW | IPH150T |
| PE1983 | AES Commercial Full Inverter (3 phase) | 120kW | IPH300T |
| PE2001 | Eziheat Serenity Performance Inverter, 9.5 amp | 9kW | Serenity i9 |
| PE1995 | Eziheat Serenity Performance Inverter, 12.5 amp | 13kW | Serenity i13 |
| PE1741 | Eziheat Infinity Premium Inverter, 9.0 amp | 9.0kW | Infinity i9 |
| PE1994 | Eziheat Infinity Premium Inverter, 13.0 amp | 13.0kW | Infinity i13 |
| PE1738 | Eziheat Infinity Premium Inverter, 17.5 amp | 17.5kW | Infinity i17 |
| PE1896 | Eziheat Infinity Premium Inverter, 21.0 amp | 21.0kW | Infinity i21 |
| PE1898 | Eziheat Infinity Premium Inverter, 20 amp | 28.0kW | Infinity i28 |
| PE2006 | Eziheat Ultra Commercial Inverter, 3 phase | 60kW / 400V | IM60 |
| PE2007 | Eziheat Ultra Commercial Inverter, 3 phase | 115kW / 40V | IM110 |
| PE0348 | Pentair UltraTemp® HX | 9.5kW, Side Fan | UTHP-9-HX |
| PE0327 | Pentair UltraTemp® HX | 12kW, Side Fan | UTHP-12-HX |
| PE1027 | Pentair UltraTemp® HX | 15kW, Side Fan | UTHP-15-HX |
| PE0729 | Pentair UltraTemp® HX | 17kW, Side Fan | UTHP-17-HX |
| PE1531 | Pentair UltraTemp® HX | 21kW, Side Fan | UTHP-21-HX |
| PE1188 | Pentair UltraTemp® VX | 9.5kW, Top Fan | UTHP-9-VX |
| PE0333 | Pentair Ultra Temp® VX | 12kW, Top Fan | UTHP-12-VX |
| PE0325 | Pentair UltraTemp® VX | 15kW, Top Fan | UTHP-15-VX |
| PE0910 | Pentair UltraTemp® VX | 21kW, Top Fan | UTHP-21-VX |
| PE0310 | Pentair UltraTemp® VX (3 phase) | 25kW, Top Fan | UTHP-25-VX |
| PE1104 | Waterco Electroheat Plus 44MKIII (3 phase) | 44kW | 2784433 |
| Product Code | Product | Model | Model Code |
| PE0847 | Pentair MasterTemp (Natural Gas) | 125HD | 461092 |
| PE1169 | Pentair MasterTemp (Natural Gas) | 200HD | 460946 |
| PE1542 | Pentair MasterTemp (Natural Gas) | 300HD | 460945 |
| PE1060 | Pentair MasterTemp (Natural Gas) | 400HD | 460944 |
| PE1068 | Pentair MasterTemp (LPG) | 400HD | 460947 |

UNDERWATER POOL LIGHTS

Emaux E-Lumen X Series Underwater Light

Features

- Concrete wall mount / Retrofit / Concrete Niche / Fibreglass / Vinyl
- Incorporates 5 basic high-power LED colours: RGB, cool white & warm white
- Increased energy & luminous efficacy: 80 lumens per W & bulb life exceeding 40,000 hours
- Innovative design of lens & bulb matrix provides exceptional reflection, brightness, throw & 172° angle of illumination.
- Self-determined operation mode with or without ColorTouch controller
- Automatic colour synchronization among lights & zone
- E-Lumen X "Quartz" Series: Wall-mounted design or retro-fit existing lighting
- E-Lumen X "Zircon" Series: Niche or locknut design
- E-Lumen X "Topaz" Series: Slim fit & multi-installation design for pools & spas



| Product Code | Product | Model Code |
|--------------|--|------------------|
| PE1506 | Emaux E-Lumen X "QUARTZ" Series, transparent face ring, 260mm(D) x 54.5mm(H), 25W, IP68 to 2m depth, 20m cable | 9042605-20M |
| PE1507 | Emaux E-Lumen X "QUARTZ" Series, transparent face ring, 260mm(D) x 54.5mm(H), 25W, IP68 to 2m depth, no cable | 9042605-NO CABLE |
| PE1749 | Emaux E-Lumen X "ZIRCON" ZIR25-C, concrete pool niche, Warm White, 165mm(D)x17.5mm(H)x180.5mm(D), 25W, 20m cable | 9042801-20M |
| PE1750 | Emaux E-Lumen X "ZIRCON" ZIR25-V, fibreglass pool locknut, Cool White, 165mm(D)x17.5mm(H)x195.5mm(D), 25W, 20m cable | 9042802-20M |
| PE1751 | Emaux E-Lumen X "TOPAZ" TOP13-C, concrete pool niche, 120mm(D)x27mm(H)x172mm(D), 13W, 20m cable | 9042701-20M |
| PE1752 | Emaux E-Lumen X "TOPAZ" TOP13-VL, fibreglass pool locknut, 130.5mm(D)x38.5mm(H)x214.5mm(L)x58mm(conduit D), 13W, 20m cable | 9042702-20M |
| PE1753 | Emaux E-Lumen X "TOPAZ" TOP13-VS, vinyl pool locknut, 130.5mm(D)x38.5mm(H)x214.5mm(L)x58mm(conduit D), 13W, 20m cable | 9042703-20M |

Emaux E-Lumen Series Underwater Light

Features

- Wall mounted (Flat Type) for concrete & vinyl pools
- Single colour or RGB light options
- 262mm(D) x 44.5mm(H)



| Product Code | Product | Model Code |
|--------------|--|------------|
| PE0275 | Emaux E-Lumen Series, Cool White (E-Lumen-441) 411 LEDs, 35W, 550 Lux, 2.5m cable | 88045555 |
| PE0276 | Emaux E-Lumen Series, Blue (E-Lumen-441) 411 LEDs, 35W, 78 Lux, 2.5m cable | 88045566 |
| PE0277 | Emaux E-Lumen Series, RGB (E-Lumen-441) 411 LEDs, 35W, 273 Lux, 2.5m cable | 88045554 |
| PE0278 | Emaux E-Lumen Series, Cool White (E-Lumen-441) 411 LEDs, 35W, 550 Lux, 22m cable | 88045555L |
| PE0279 | Emaux E-Lumen Series, Blue (E-Lumen-441) 411 LEDs, 35W, 78 Lux, 22m cable | 88045566L |
| PE0280 | Emaux E-Lumen Series, RGB (E-Lumen-441) 411 LEDs, 35W, 273 Lux, 22m cable | 88045564L |


Emaux Aurora Underwater Light

Features

- Wall mounted (Flat Type) for all types of pools
- Widest (360°) angle of illumination with Cool white or RGB light options
- 291mm(D) x 65.5mm(H)



| Product Code | Product | Model Code |
|--------------|--|------------|
| PE0281 | Emaux Aurora Light Cool White (ARR30CW) 360° wide angle LED ring & high power LEDs, 30W, 2.5m cable | 88049246 |
| PE0282 | Emaux Aurora Light RGB (ARR30C) 360° wide angle LED ring & high power LEDs, 30W, 2.5m cable | 88049247 |



UNDERWATER POOL LIGHTS - *continued*



| Product Code | Product | Model Code |
|--------------|---|------------|
| PE0785 | Flat Type TP100 Decagonal Light (LED-TP100) <i>Auto Colour Change, 198 LEDs, 8W, 250 Lux, 2.5m cable</i> | 88040652C |
| PE0783 | Flat Type TP100 Decagonal Light (UL-TP100) <i>Colour Lens, RGB, Halogen bulb, 75W, 400 Lux(Red), 300(Green), 240 Lux(Blue), 680 Lux(No Lens), 2.5m cable</i> | 88040602 |



| Product Code | Product | Model Code |
|--------------|--|------------|
| PE0963 | Sunline Retrofit Niche LED Light (<i>Replacement Light only</i>) | SL-LED-LO |



| Product Code | Product | Model Code |
|--------------|--|---------------|
| PE0994 | Aqua Quip Surface Mount Retrofit <i>White</i> LED <i>(with quick connect adapter kit)</i> | EVOSURFRETWHT |



| Product Code | Product | Model Code |
|--------------|---|---------------|
| PE1217 | Aqua Quip Surface Mount Retrofit <i>Blue</i> LED <i>(with quick connect adapter kit)</i> | EVOSURFRETBLU |



| Product Code | Product | Model Code |
|--------------|--|--------------|
| PE0993 | Aqua Quip Surface Mount Retrofit <i>Multicolour</i> LED <i>(with quick connect adapter kit)</i> | EVOSURFRETMC |



| Product Code | Product | Model Code |
|--------------|--|-----------------|
| PE1671 | Spa Electrics WNRX Retrofit <i>Multi Plus</i> LED <i>With clear rim (grey, black or white options) & mounting kit</i> | WNRX-L12-R1-CMP |
| PE1672 | Spa Electrics WNRX Retrofit <i>Blue</i> LED <i>With clear rim (grey, black or white options) & mounting kit</i> | WNRX-L12-R1-CBL |
| PE1673 | Spa Electrics WNRX Retrofit <i>White</i> LED <i>With clear rim (grey, black or white options) & mounting kit</i> | WNRX-L12-R1-CW4 |



| Product Code | Product | Model Code |
|--------------|---|-----------------|
| PE1668 | Spa Electrics GKRX Retrofit <i>Multi Plus</i> LED <i>With white rim (grey or black options) & mounting kit</i> | GKRX-LMV-R1-WMP |
| PE1669 | Spa Electrics GKRX Retrofit <i>Blue</i> LED <i>With white rim (grey or black options) & mounting kit</i> | GKRX-LMV-R1-WBL |

PE1670 Spa Electrics GKRX Retrofit *White* LED
 With *white rim (grey or black options) & mounting kit*


GKRX-LMV-R1-
 WW4

UNDERWATER POOL LIGHTS - continued



| Product Code | Product | Model Code |
|--------------|---|-----------------|
| PE1674 | Spa Electrics EMRX Retrofit <i>Multi Plus</i> LED With <i>clear rim & mounting kit</i> | EMRX-L12-R1-CMP |
| PE1675 | Spa Electrics EMRX Retrofit <i>Blue</i> LED With <i>clear rim & mounting kit</i> | EMRX-L12-R1-CBL |
| PE1676 | Spa Electrics EMRX Retrofit LED With <i>clear rim & mounting kit</i> | EMRX-L12-R1-CW4 |

WATER DESCENT



| Product Code | Product | Model Code |
|--------------|---|------------|
| PE0300 | PB Series, LED (PB900-25L), <i>900mm (L) x 25mm (W)</i> , 12W LED | 88480121 |
| PE0301 | PB Series, LED (PB1200-25L), <i>1200mm (L) x 25mm (W)</i> , 17W LED | 88480131 |
| PE1213 | PB Series, LED, (PB900-150L), <i>900mm (L) x 150mm (W)</i> , 12W LED | 88480122 |
| PE1214 | PB Series, LED (PB1200-150L), <i>1200mm (L) x 150mm (W)</i> , 17W LED | 88480132 |
| PE0302 | PB Series, PB900-25, <i>900mm (L) x 25mm (W)</i> | 88485021 |
| PE0303 | PB Series, PB1200-25, <i>1200mm (L) x 25mm (W)</i> | 88485031 |
| PE1215 | PB Series, PB900-150, <i>900mm (L) x 150mm (W)</i> | 88485022 |
| PE1216 | PB Series, PB1200-150, <i>1200mm (L) x 150mm (W)</i> | 88485032 |



| Product Code | Product | Model Code |
|--------------|---|------------|
| PE0285 | Emaux 12V Light Transformer, <i>10VA, 240V (50/60Hz)</i> | 88322301 |
| PE0286 | Emaux 12V Light Transformer, <i>50VA, 240V (50/60Hz)</i> | 88322307 |
| PE0284 | Emaux 12V Light Transformer, <i>150VA, 240V (50/60Hz)</i> | 88322303 |



| Product Code | Product | Model Code |
|--------------|--|------------|
| PE0287 | Emaux Junction Box <i>with 3 adaptors</i> | 08060002 |
| PE0288 | Emaux Junction Box <i>with 3 adaptors & 1 flexible hose (pictured)</i> | 88250112 |



| Product Code | Product | Model Code |
|--------------|--|------------|
| PE0283 | Emaux Light Control Box with Remote Controller | 08040009 |

SKIMMERS



Emaux Heavy Duty Standard Wall Skimmer

Suitable for residential & commercial pools

Features

- Models available for fibreglass / vinyl & concrete pools
- Injection moulded and made from UV resistant ABS material
- Suitable for 1.5" & 2.0" piping
- Large debris collection bowl
- Snap-in & removable weir
- Optional stackable extension collar allows infinite vertical height
- Optional stackable extension throat allows for infinite horizontal length
- Round cover or squar cover models

| Product Code | Product | Cover | Model | Model Code |
|--------------|---|--------|-----------|------------|
| PE0289 | HD Standard Wall Skimmer for fibreglass/vinyl pools | Round | EM0150-RV | 88153712 |
| PE0290 | HD Standard Wall Skimmer for concrete pools | Round | EM0150-RC | 88153812 |
| PE0291 | HD Standard Wall Skimmer for fibreglass/vinyl pools | Square | EM0150-SV | 88153912 |
| PE0292 | HD Standard Wall Skimmer for concrete pools | Square | EM0150-SC | 88154012 |



Emaux Heavy Duty Wall Skimmer with extension

Suitable for residential & commercial pools

Features

- Models available for fibreglass / vinyl & concrete pools
- Injection moulded and made from UV resistant ABS material
- Suitable for 1.5" & 2.0" piping
- Large debris collection bowl
- Snap-in & removable weir
- Optional stackable extension collar allows infinite vertical height
- Optional stackable extension throat allows for infinite horizontal length
- Round cover or squar cover models

| Product Code | Product | Cover | Model | Model Code |
|--------------|--|--------|-----------|------------|
| PE0293 | HD Standard Wall Skimmer with extension for fibreglass/vinyl pools | Round | EM0170-RV | 88154512 |
| PE0294 | HD Standard Wall Skimmer with extension for concrete pools | Round | EM0170-RC | 88154612 |
| PE0295 | HD Standard Wall Skimmer with extension for fibreglass/vinyl pools | Square | EM0170-SV | 88154712 |
| PE0296 | HD Standard Wall Skimmer with extension for concrete pools | Square | EM0170-SC | 88154812 |



| | |
|--------------|--------------------------------|
| Product | Emaux HD Skimtrol Vacuum Plate |
| Product Code | PE0299 |
| Model Code | 01051180 |



| | |
|--------------|---|
| Product | Emaux HD Skimmer Basket with plastic handle |
| Product Code | PE1218 |
| Model Code | 89150501 |



| | |
|--------------|-----------------------------------|
| Product | Emaux HD Skimmer Extension Collar |
| Product Code | PE0297 |
| Model Code | 01050004 |

SKIMMER BASKETS (Generic)

| | | | | | |
|---|--------------|------------------------|---|--------------|----------------------------|
|  | Product | Generic Large |  | Product | Generic Small |
| | Product Code | PE0085 | | Product Code | PE0086 |
| | Width | 210 mm | | Width | 190 mm |
| | Height | 130 mm | | Height | 124 mm |
| | Model Code | PE0085 | | Model Code | PE0086 |
|  | Product | Quiptron |  | Product | Baker Hydro / Purex |
| | Product Code | PE0334 | | Product Code | PE0372 |
| | Width | | | Width | 200 mm |
| | Height | | | Height | 154 mm |
| | Model Code | 5315200 | | Model Code | SBN1 |
|  | Product | Poolrite MKII S2500 |  | Product | Hayward SP1094 & SP1095 |
| | Product Code | PE0374 | | Product Code | PE0373 |
| | Width | 230 mm | | Width | 135 mm |
| | Height | 205 mm | | Height | 80 mm |
| | Model Code | SBD5 | | Model Code | SBH5 |
|  | Product | Filtrite SK900 & SK950 |  | Product | Paramount & Waterco SP5000 |
| | Product Code | PE0376 | | Product Code | PE0377 |
| | Width | 190 mm | | Width | 222 mm |
| | Height | 125 mm | | Height | 154 mm |
| | Model Code | SBK9 | | Model Code | SBP1 |
|  | Product | Filtrite SK1000 |  | Product | Waterco S75 |
| | Product Code | PE0375 | | Product Code | PE0378 |
| | Width | 140 mm | | Width | 210 mm |
| | Height | 130 mm | | Height | 130 mm |
| | Model Code | SBS1 | | Model Code | SBW4 |
|  | Product | Waterco S75 (3 lugs) | | | |
| | Product Code | PE0379 | | | |
| | Width | 204 mm | | | |
| | Height | 130 mm | | | |
| | Model Code | SBW5 | | | |

SKIMTROLS (Generic)

| | | | | | |
|---|--------------|---------------------|--|--------------|-----------------------|
|  | Product | Baker Hydro, Purex |  | Product | Clark WA72, Swimquip |
| | Product Code | PE1044 | | Product Code | PE1045 |
| | Width | 220 mm | | Width | 211 mm |
| | Model Code | SKIM01 | | Model Code | SKIM02 |
|  | Product | Filtrite 900 |  | Product | Filtrite 950 |
| | Product Code | PE1046 | | Product Code | PE1047 |
| | Width | 220mm x 210mm | | Width | 220mm x 190mm |
| | Model Code | SKIM03 | | Model Code | SKIM04 |
| | | Round sides | | | Straight sides |
|  | Product | Paramount, Aquaswim |  | Product | Paramount SP5000 MKII |
| | Product Code | PE1049 | | Product Code | PE1050 |
| | Width | 205 mm | | Width | 205 mm |
| | Model Code | SKIM06 | | Model Code | SKIM17 |

SKIMTROLS (Generic) - continued

| | | | | | |
|---|--------------|--|--|--------------|--------------------------|
|  | Product | Poolrite S1800 |  | Product | Poolrite S2500, S2600 |
| | Product Code | PE1229 | | Product Code | PE1051 |
| | Width | 230 mm | | Width | 222 mm |
| | Model Code | SKIM07 | | Model Code | SKIM08 |
|  | Product | Quiptron |  | Product | Waterco MK1 |
| | Product Code | PE1230 | | Product Code | PE1231 |
| | Width | 240 mm | | Width | 240mm x 225mm |
| | Model Code | SKIM10 | | Model Code | SKIM11 |
|  | Product | Waterco MKII, Supa Skimmer, S75 (3 lugs) & Hurlcon | | | |
| | Product Code | PE1048 | | | |
| | Width | 270 mm | | | |
| | Model Code | SKIM15 | | | |

VACUUM PLATES (Generic)

| | | | | | |
|---|--------------|---|--|--------------|-------------------------|
|  | Product | Generic Small |  | Product | Generic Large |
| | Product Code | PE0087 | | Product Code | PE0089 |
| | Width | 190 mm | | Width | 210 mm |
| | Model Code | PE0087 | | Model Code | PE0089 |
|  | Product | Quiptron |  | Product | Poolrite S1800 |
| | Product Code | PE1042 | | Product Code | PE1040 |
| | Width | 242 mm | | Width | 235 mm |
| | Model Code | VPP10 | | Model Code | VPP18 |
|  | Product | New Style fits Emaux |  | Product | Poolrite S2500 |
| | Product Code | PE1178 | | Product Code | PE1041 |
| | Width | 250 mm, centre hole threaded, with speed control | | Width | 235 mm |
| | Model Code | 250 mm | | Model Code | VPP25 |
|  | Product | Paramount, Aquaswim |  | Product | Waterco S75 (3 lugs) |
| | Product Code | PE1031 | | Product Code | PE1043 |
| | Width | 215 mm | | Width | 242 mm |
| | Model Code | VPP26 | | Model Code | VPP27 |

SKIMMER LID & DRAIN COVERS

A traditional plastic skimmer lid replaced with a HIDE Skimmer Lid.



A traditional industrial-look drain cover replaced with a HIDE Drain Cover.



HIDE KIT CONTENTS



HIDE® Skimmer Lid Covers

Features

- Lids for skimmer box, access points, drains & wet-pour concrete applications
- Selection of sizes & depths to suit most applications where a sophisticated upmarket finish is desired
- HIDE lids are designed to carry your selection of tiles, timber or concrete to match the pool surrounds, creating a luxurious, uninterrupted outdoor space
- Can be installed in new landscapes or retrofitted in existing outdoor areas
- Designed for quick (& affordable) installation
- All HIDE lids can only be accessed with a safety key – 100% pool safety compliant
- Marine grade, 316 stainless steel components
- Steel frames protect inlay materials & landscaping surrounds




| Product Code | Product | Model Code |
|--------------|--|------------|
| PE1254 | HIDE® Skimmer Lid / Access Cover 306mm kit, 15-22mm tile depth | HSL306-20 |
| PE1255 | HIDE® Skimmer Lid / Access Cover 306mm kit, 25-32mm tile depth | HSL306-30 |
| PE1256 | HIDE® Skimmer Lid / Access Cover 306mm kit, 35-42mm tile depth | HSL306-40 |
| PE1257 | HIDE® CONCRETE Skimmer Lid / Access Cover 306mm kit, 43mm tile depth | HCON306-40 |

POOL SURROUNDING EQUIPMENT

Emaux Pool Ladders NSL Series












Features

- Polished stainless steel 316 tubes
- Stainless steps with anti slip pad option
- 3 & 4 step options
- Anchor type









GASKETS & O-RINGS

Genuine Gaskets

| | | | | | |
|---|----------|---|---|----------|---|
| Emaux Pump (Square Gasket) | | | Emaux MPV (Spider Gasket) | | |
| For Emaux SB Series Pumps (02011115) | | | For Emaux Multiport Valve MPV01 & MPV03 (02311002) | | |
| Emaux Code: | 02011115 |  | Emaux Code: | 02311002 |  |
| Product Code: | PE0599 | | Product Code: | PE0607 | |
| Emaux MPV (Spider Gasket) | | | Emaux MPV (Spider Gasket) | | |
| For Emaux Multiport Valve MPV02 & MPV04 (02311003) | | | For Emaux Multiport Valve MPV06 (02311012) | | |
| Emaux Code: | 02311003 |  | Emaux Code: | 02311012 |  |
| Product Code: | PE0608 | | Product Code: | P1599 | |
| Poolrite Pump (Diffuser) | | | Poolrite Pump (Housing) | | |
| For Poolrite SQI, Enduro, SQ Gemini Twin Speed Pumps (22020006) | | | For Poolrite SQI, Enduro, SQ Gemini Twin Speed Pumps (22020007) | | |
| Poolrite Code: | 22020006 |  | Poolrite Code: | 22020007 |  |
| Product Code: | PE1270 | | Product Code: | PE1640 | |
| Poolrite Pump (Lid) | | | | | |
| For Poolrite Enduro Pumps (23010000) | | | | | |
| Poolrite Code: | 23010000 |  | | | |
| Product Code: | PE1009 | | | | |
| Poolrite Filter (Valve - Tank) | | | Poolrite MPV (Valve Flange) | | |
| For Poolrite S Series Media Filters MKII (22020002) | | | For Poolrite V2000 Multiport Valve (23010000) | | |
| Poolrite Code: | 22020002 |  | Poolrite Code: | 23010000 |  |
| Product Code: | PE1270 | | Product Code: | PE1009 | |
| Generic Gaskets | | | | | |
| MPV Gasket 40mm (MPG12) | | | MPV Gasket 40mm (MPG07A) | | |
| Suits Astral/Hurlcon Filters (post September 2009) | | | Suits Astral/Hurlcon (pre 2007), Waterco (pre 1992), Davey CC180-250, Davey Tagelus 150-230 Filters | | |
| Gasket Diameter | 127 mm |  | Gasket Diameter | 133 mm |  |
| Internal Hole Diameter | 27 mm | | Internal Hole Diameter | 18 mm | |
| Thickness | 4.5 mm | | Thickness | 5 mm | |
| Product Code | PE0449 | | Product Code | PE0447 | |

GASKETS & O-RINGS - *continued*

Generic Gaskets - *continued*

| MPV Gasket 40mm (MPG05) | | | MPV Gasket 40mm (MPG02) | | |
|---|----------|--|--|---------|--|
| Suits EcoNeptune ECSF500/ECFS650, Davey FG18-25, Emaux V Series, Monarch Ecopure, Reliance MKII Filters | | | Suits Hayward SP710X, Poolrite V800 Filters | | |
| Gasket Diameter | 131 mm |  | Gasket Diameter | 136 mm |  |
| Internal Hole Diameter | 17 mm | | Internal Hole Diameter | 18.5 mm | |
| Thickness | 7 mm | | Thickness | 6 mm | |
| Product Code | PE1614 | | Product Code | PE0447 | |
| MPV Gasket 40mm (MPG10) | | | MPV Gasket 40mm (MPG07) | | |
| Suits Hurlcon Vrac (October 2007 – September 2009) Filters | | | Suits Waterco (post 1994) Filters | | |
| Gasket Diameter | 136.5 mm |  | Gasket Diameter | 140 mm |  |
| Internal Hole Diameter | 19 mm | | Internal Hole Diameter | 17 mm | |
| Thickness | 5.5 mm | | Thickness | 5 mm | |
| Product Code | PE0448 | | Product Code | PE2025 | |
| MPV Gasket 50mm (MPG11) | | | MPV Gasket 50mm (MPG03) | | |
| Suits Astral/Hurlcon (post September 2009) Filters | | | Suits Neptune SF700/SF800, Davey/Onga P29/P33, Waterco (post 1999), Hurlcon (pre September 2007) Filters | | |
| Gasket Diameter | 150 mm |  | Gasket Diameter | 172 mm |  |
| Internal Hole Diameter | 24 mm | | Internal Hole Diameter | 17 mm | |
| Thickness | 6 mm | | Thickness | 5.8 mm | |
| Product Code | PE0450 | | Product Code | PE1608 | |

Genuine O-Rings (Emaux)

| Type | Description | Part ID | Product Code |
|--------|---|----------------------|--------------|
| Pump | Emaux AMU/SC/SCUS/SD/SS/ST Series Pumps (1.5" Union) | 111002362 (02011104) | PE0597 |
| | Emaux Aqua-Mini AMU Series Pumps (Lid) | 02021088 | PE0835 |
| | Emaux Aqua-Mini AMU & FSU Series Pumps (1.5" Connector) | 02020013 | PE0603 |
| | Emaux EPH & EPV Series Pumps (Diffuser) | 02010213 | PE0580 |
| | Emaux EPH & EPV Series Pumps (Flange) | 02010212 | PE0579 |
| | Emaux EPH & EPV Series Pumps (Lid) | 02010042 | PE0577 |
| | Emaux SB Series Pumps (Flange) | 02011093 | PE0595 |
| | Emaux SB Series Pumps (Lid) | 02010248 | PE0584 |
| | Emaux SB & SR Series Pumps (Diffuser) | 02011108 | PE0598 |
| | Emaux SC Series Pumps (Diffuser) | 02011105 | PE1162 |
| | Emaux SC/SCUS Series Pumps (Flange) | 02011089 | PE0593 |
| | Emaux SC/SCUS/SD Series Pumps (Lid) | 02021088 | PE0836 |
| | Emaux SE5.5/SE7.5 Series Pumps (Flange) | 02011164 | PE1259 |
| | Emaux SE Series Pumps (Lid) | 02011148 | PE1258 |
| | Emaux SPH/SPV Series Pumps (Diffuser) | 02010245 | PE0581 |
| | Emaux SPH/SPV Series Pumps (Flange) | 02010246 | PE0582 |
| | Emaux SPH/SPV Series Pumps (Lid) | 02010253 | PE0585 |
| | Emaux SS Series Pumps (Diffuser) | 02011004 | PE0589 |
| | Emaux SS Series Pumps (Flange) | 02011090 | PE0594 |
| | Emaux SS Series Pumps (Lid) | 02010247 | PE0583 |
| Filter | Emaux CF Series Filters (Lid) | 02011034 | PE0834 |
| | Emaux FSF/FSP/FSU Filters (1.5" Connector) | 111002362 (02011104) | PE0597 |
| | Emaux FSF/FSP/P/SP/V Series Filters (Filter Neck) | 02011134 | PE0600 |
| | Emaux HD Series Deep Bed Filters (Filter Neck) | 111000018 (02011013) | PE1171 |
| | Emaux FSP/MFS/S/SMG/SP Series Filter (1.5" Adaptor) | 02011003 | PE0588 |
| | Emaux MFS/MFV/TMG Series Filter (Filter Neck) | 02010007 | PE0576 |

GASKETS & O-RINGS - *continued*

Genuine O-Rings (Emaux) - *continued*

| Type | Description | Part ID | Product Code |
|--------|---|--|----------------------|
| Filter | Emaux MFS/S/SDB/SMG/SSC Series Filter (<i>Connector</i>) | 111202472 (020200016) | PE0604 |
| | Emaux S/NL/K Series Commercial Filter (<i>Manhole Lid</i>) | 111292548 (02100006) | PE0604 |
| | Emaux T Series Volumetric Filter (<i>Valve to Tank</i>) | 111000016 | PE1310 |
| MPV | Emaux MPV01/MPV02/MPV03/MPV04 MPV07/MPV08/ MPV12/MPV13 (<i>Valve Rotor - 2 per pack</i>) | 02011022 | PE0592 |
| | Emaux MPV01/MPV03/MPV05/MPV07 (<i>1.5" Adaptor</i>) | 02011003 | PE0588 |
| | Emaux MPV01/MPV03/MPV05/MPV07 (<i>1.5" Connector</i>) | 02020013 | PE0603 |
| | Emaux MPV01/MPV03 (<i>Lid</i>) | 111002331 (02011002) | PE0587 |
| | Emaux MPV01/MPV07 (<i>Diffuser</i>) | 020110001 | PE0586 |
| | Emaux MPV02 (<i>Lid</i>) | 111002340 (02011006) | PE0591 |
| | Emaux MPV02/MPV08 (<i>Diffuser</i>) | 020110005 | PE0590 |
| | Emaux MPV02/MPV04/MPV08 (<i>Connector</i>) | 111202472 (020200016) | PE0604 |
| | Emaux MPV06 (<i>Valve Body</i>) | 02011144 | PE1600 |
| | Emaux MPV06 (<i>Valve to Tank</i>) | 111000018 (02020024) | PE1601 |
| | Emaux MPV07 (<i>Lid</i>) | 02010002 | PE0574 |
| | Emaux MPV08 (<i>Lid</i>) | 02010003 | PE0575 |
| | Emaux MPV12 (<i>Barrel Union Adaptor</i>) | 111040024 (02010043) | PE0578 |
| | Chlorinator | Emaux SSC Series Chlorinator (<i>Cell Housing</i>) | 111192492 (02021044) |

Genuine O-Rings (Pentair)

| Type | Description | Part ID | Product Code |
|--------|---|------------|--------------|
| Pump | Onga® LTP Series Pumps (<i>Shaft Sleeve - 10/pack</i>) | 702196K | PE0949 |
| | Onga® LTP/PPP Series Pumps (<i>Swivel Barrel Union - 4/pack</i>) | 702193K | PE0467 |
| | Onga® LTP Series Pumps (<i>Lid - 4/pack</i>) | 702208K | PE0948 |
| | StaRite™ SilentFlo/EnviroMax Series Pumps (<i>Lid</i>) | 35505-1440 | PE0869 |
| | Pentair WhisperFlo/IntelliFlo Series Pumps (<i>Lid</i>) | 350013 | PE1464 |
| Filter | Onga® LSFII Series Sand Filters (<i>Union</i>) | U9-226 | PE0894 |
| | Onga® Pantera Series Sand Filters (<i>Union</i>) | 02011134 | PE1308 |
| | Onga® Pantera PCFII Series Cartridge Filters (<i>Filter Neck</i>) | 100025 | PE0718 |
| | Onga® Pantera/Quiptron Cartridge Series Filter (<i>Tank Lid</i>) | 5311400 | PE0862 |
| MPV | Pentair Multiport 1.5" Valve (SR14965-A003) | 702259 | PE0712 |
| | Pentair Multiport 1.5" Valve (SR14965-A003) (<i>Cover</i>) | 702206K | PE0714 |